

# Awtrey Middle School

Results of the Georgia Student Health Survey II

2009-2010

## *Demographics*

Grade	
Grade	Frequency
6	10
8	6

Frequency  
Col Pct

Table of Gender by Grade					
Gender (Gender)	Grade (Grade)				Total
	6	8	10	12	
Female	3 30.00	3 50.00	0 0.00	0 0.00	6
Male	7 70.00	3 50.00	0 0.00	0 0.00	10
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Ethnicity by Grade					
Ethnicity (Ethnicity)	Grade (Grade)				Total
	6	8	10	12	
Black	10 100.00	6 100.00	0 0.00	0 0.00	16
Hispanic	0 0.00	0 0.00	0 0.00	0 0.00	0
White	0 0.00	0 0.00	0 0.00	0 0.00	0
Asian	0 0.00	0 0.00	0 0.00	0 0.00	0
Other	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	10	6	0	0	16

**Title IV, Part A, Schedule A**

**Goal 1: Ensure that all schools are drug-free**

**Baseline Data: Year 2009-2010**

**Prevalence of Drug Use**

Frequency Col Pct	Table of AlcoholAlt by Grade					
	AlcoholAlt (Alcohol use, past 30 days)	Grade (Grade)				Total
		6	8	10	12	
Yes	1 10.00	1 16.67	0 0.00	0 0.00	2	
No	9 90.00	5 83.33	0 0.00	0 0.00	14	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of TobaccoAny by Grade					
	TobaccoAny (Tobacco use, past 30 days)	Grade (Grade)				Total
		6	8	10	12	
Yes	1 10.00	0 0.00	0 0.00	0 0.00	1	
No	9 90.00	6 100.00	0 0.00	0 0.00	15	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of MarijuanaAlt by Grade					
	MarijuanaAlt (Marijuana use, past 30 days)	Grade (Grade)				Total
		6	8	10	12	
Yes	1 10.00	0 0.00	0 0.00	0 0.00	1	
No	9 90.00	6 100.00	0 0.00	0 0.00	15	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of OtherDrugAny by Grade					
	OtherDrugAny (Other drug use, past 30 days)	Grade (Grade)				Total
		6	8	10	12	
Yes	1 10.00	0 0.00	0 0.00	0 0.00	1	
No	9 90.00	6 100.00	0 0.00	0 0.00	15	
<b>Total</b>	10	6	0	0	16	

### *Perception of Health Risk*

Frequency  
Col Pct

Table of Alcoholharmdich by Grade					
Alcoholharmdich (I think alcohol is harmful)	Grade (Grade)				Total
	6	8	10	12	
Yes	7 70.00	6 100.00	0 0.00	0 0.00	13
No	3 30.00	0 0.00	0 0.00	0 0.00	3
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Tobaccoharmdich by Grade					
Tobaccoharmdich (I think tobacco is harmful)	Grade (Grade)				Total
	6	8	10	12	
Yes	7 70.00	6 100.00	0 0.00	0 0.00	13
No	4 40.00	0 0.00	0 0.00	0 0.00	4
<b>Total</b>	11	6	0	0	16

Frequency  
Col Pct

Table of Marijuanaharmdich by Grade					
Marijuanaharmdich (I think marijuana is harmful)	Grade (Grade)				Total
	6	8	10	12	
Yes	7 70.00	6 100.00	0 0.00	0 0.00	13
No	3 30.00	0 0.00	0 0.00	0 0.00	3
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Otherdrugharmdich by Grade					
Otherdrugharmdich (I think other drugs are harmful)	Grade (Grade)				Total
	6	8	10	12	
Yes	7 70.00	6 100.00	0 0.00	0 0.00	13
No	5 50.00	1 16.67	0 0.00	0 0.00	6
<b>Total</b>	12	7	0	0	16

*Title IV, Part A, Schedule A*

*Goal 2: To help ensure that all schools are safe and disciplined*

*Baseline Data: Year 2009-2010*

*Student Involvement in Gang Activity*

Frequency Col Pct	Table of Gangself by Grade					
	Gangself (I have participated in illegal gang activities in the past 30 days)	Grade (Grade)				Total
		6	8	10	12	
<b>Yes</b>	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>No</b>	10 100.00	6 100.00	0 0.00	0 0.00	16	
<b>Total</b>	10	6	0	0	16	

*Student Perception of School Safety*

**Frequency  
Row Pct**

<b>Table of Grade by Safeschool</b>					
<b>Grade (Grade)</b>	<b>Safeschool (School is a place at which I feel safe)</b>				<b>Total</b>
	<b>Strongly Agree</b>	<b>Somewhat Agree</b>	<b>Somewhat Disagree</b>	<b>Strongly Disagree</b>	
<b>6</b>	5 83.33	2 50.00	1 25.00	2 100.00	10
<b>8</b>	1 16.67	2 50.00	3 75.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	6	4	4	2	16

***Students Who Have Been Bullied***

**Frequency  
Row Pct**

<b>Table of Grade by Bullied</b>								
<b>Grade (Grade)</b>	<b>Bullied (I have been bullied by other students in the past 30 days)</b>							<b>Total</b>
	<b>0 Days</b>	<b>1 or 2 days</b>	<b>3 to 5 days</b>	<b>6 to 9 days</b>	<b>10 to 19 days</b>	<b>20 to 29 days</b>	<b>All 30 days</b>	
<b>6</b>	7 70.00	1 10.00	1 10.00	0 0.00	1 10.00	0 0.00	0 0.00	10
<b>8</b>	2 33.33	2 33.33	0 0.00	1 16.67	0 0.00	0 0.00	1 16.67	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	9	3	1	1	1	0	1	16

*School Climate*

Frequency Col Pct	Table of SchoolClimate1 by Grade					
	SchoolClimate1 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	8 80.00	1 16.67	0 0.00	0 0.00	9
	Somewhat Agree	1 10.00	5 83.33	0 0.00	0 0.00	6
	Somewhat Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Strongly Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of SchoolClimate2 by Grade					
	SchoolClimate2 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	7 70.00	3 50.00	0 0.00	0 0.00	10
	Somewhat Agree	3 30.00	3 50.00	0 0.00	0 0.00	6
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of SchoolClimate3 by Grade					
	SchoolClimate3 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	9 90.00	2 33.33	0 0.00	0 0.00	11
	Somewhat Agree	1 10.00	2 33.33	0 0.00	0 0.00	3
	Somewhat Disagree	0 0.00	2 33.33	0 0.00	0 0.00	2
	Strongly Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16



### *School Climate*

Frequency Col Pct	Table of SchoolClimate4 by Grade					
	SchoolClimate4 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	8 80.00	3 50.00	0 0.00	0 0.00	11
	Somewhat Agree	1 10.00	3 50.00	0 0.00	0 0.00	4
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of SchoolClimate5 by Grade					
	SchoolClimate5 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	9 90.00	3 50.00	0 0.00	0 0.00	12
	Somewhat Agree	0 0.00	1 16.67	0 0.00	0 0.00	1
	Somewhat Disagree	1 10.00	1 16.67	0 0.00	0 0.00	2
	Strongly Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of SchoolClimate6 by Grade					
	SchoolClimate6 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	8 80.00	1 16.67	0 0.00	0 0.00	9
	Somewhat Agree	2 20.00	2 33.33	0 0.00	0 0.00	4
	Somewhat Disagree	0 0.00	2 33.33	0 0.00	0 0.00	2
	Strongly Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

*School Climate*

Frequency Col Pct	Table of SchoolClimate7 by Grade					
	SchoolClimate7 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	4 40.00	2 33.33	0 0.00	0 0.00	6
	<b>Somewhat Agree</b>	3 30.00	2 33.33	0 0.00	0 0.00	5
	<b>Somewhat Disagree</b>	1 10.00	2 33.33	0 0.00	0 0.00	3
	<b>Strongly Disagree</b>	2 20.00	0 0.00	0 0.00	0 0.00	2
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of SchoolClimate8 by Grade					
	SchoolClimate8 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	6 60.00	4 66.67	0 0.00	0 0.00	10
	<b>Somewhat Agree</b>	4 40.00	1 16.67	0 0.00	0 0.00	5
	<b>Somewhat Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Strongly Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of SchoolClimate9 by Grade					
	SchoolClimate9 (I like school)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	9 90.00	2 33.33	0 0.00	0 0.00	11
	<b>Somewhat Agree</b>	1 10.00	4 66.67	0 0.00	0 0.00	5
	<b>Somewhat Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Strongly Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16

### *Reasons for Dropping Out*

Frequency Col Pct	Table of Dropoutreason by Grade					
	Dropoutreason (If I dropped out the reason would most likely be...)	Grade (Grade)				Total
		6	8	10	12	
	<b>Won't Drop out</b>	7 70.00	5 83.33	0 0.00	0 0.00	12
	<b>Bored</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Family Reasons</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Being Bullied</b>	1 10.00	1 16.67	0 0.00	0 0.00	2
	<b>Other</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Dropout by Grade					
	Dropout(I have thought about dropping out of school)	Grade (Grade)				Total
		6	8	10	12	
	<b>Yes</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>No</b>	9 90.00	6 100.00	0 0.00	0 0.00	15
	<b>Total</b>	10	6	0	0	16

### *Safe and Disciplined*

Frequency  
Col Pct

Table of Gangself by Grade					
Gangself (I have participated in illegal gang activities in the past 30 days)	Grade (Grade)				Total
	6	8	10	12	
Yes	0 0.00	0 0.00	0 0.00	0 0.00	0
No	10 100.00	6 100.00	0 0.00	0 0.00	16
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Gangpeers by Grade					
Gangpeers (I have friends who have participated in illegal gang activities in the past 30 days)	Grade (Grade)				Total
	6	8	10	12	
Yes	3 30.00	3 50.00	0 0.00	0 0.00	6
No	7 70.00	3 50.00	0 0.00	0 0.00	10
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Safeschool by Grade					
Safeschool (School is a place at which I feel safe)	Grade (Grade)				Total
	6	8	10	12	
Strongly Agree	5 50.00	1 16.67	0 0.00	0 0.00	6
Somewhat Agree	2 20.00	2 33.33	0 0.00	0 0.00	4
Somewhat Disagree	1 10.00	3 50.00	0 0.00	0 0.00	4
Strongly Disagree	2 20.00	0 0.00	0 0.00	0 0.00	2
<b>Total</b>	10	6	0	0	16

*Safe and Disciplined*

Frequency Col Pct	Table of Pickedon by Grade					
	Pickedon (I have been picked on or teased at school in the past 30 days)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	2 20.00	1 16.67	0 0.00	0 0.00	3
	<b>Somewhat Agree</b>	1 10.00	2 33.33	0 0.00	0 0.00	3
	<b>Somewhat Disagree</b>	1 10.00	1 16.67	0 0.00	0 0.00	2
	<b>Strongly Disagree</b>	6 60.00	2 33.33	0 0.00	0 0.00	8
	<b>Total</b>	10	6	0	0	16

Frequency Row Pct	Table of Grade by Bullied								
	Grade (Grade)	Bullied (I have been bullied by other students in the past 30 days)						Total	
		0 Days	1 or 2 days	3 to 5 days	6 to 9 days	10 to 19 days	20 to 29 days		All 30 days
	<b>6</b>	7 70.00	1 10.00	1 10.00	0 0.00	1 10.00	0 0.00	0 0.00	10
	<b>8</b>	2 33.33	2 33.33	0 0.00	1 16.67	0 0.00	0 0.00	1 16.67	6
	<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	9	3	1	1	1	0	1	16

Frequency Row Pct	Table of Grade by Bulliedothers								
	Grade (Grade)	Bulliedothers (I bullied others in the past 30 days)						Total	
		0 Days	1 or 2 days	3 to 5 days	6 to 9 days	10 to 19 days	20 to 29 days		All 30 days
	<b>6</b>	8 80.00	1 10.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
	<b>8</b>	4 66.67	0 0.00	0 0.00	1 16.67	0 0.00	0 0.00	1 16.67	6
	<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	12	1	1	1	0	0	1	16

*Safe and Disciplined*

Frequency  
Row Pct

Table of Grade by Weaponschool								
Grade (Grade)	Weaponschool (I brought a weapon to school in the past 30 days)							Total
	0 Days	1 or 2 days	3 to 5 days	6 to 9 days	10 to 19 days	20 to 29 days	All 30 days	
<b>6</b>	8 80.00	1 10.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	14	1	1	0	0	0	0	16

Frequency  
Row Pct

Table of Grade by Absentunsafe								
Grade (Grade)	Absentunsafe (I have missed school because I felt unsafe in the past 30 days)							Total
	0 Days	1 or 2 days	3 to 5 days	6 to 9 days	10 to 19 days	20 to 29 days	All 30 days	
<b>6</b>	8 80.00	2 20.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	14	2	0	0	0	0	0	16

### Drug Use During Last 30 Days

Frequency  
Row Pct

Table of Grade by Alcohol								
Grade (Grade)	Alcohol (Alcohol use, past 30 days)							Total
	Did not use	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	Every day	
6	9 90.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
8	5 83.33	0 0.00	0 0.00	1 16.67	0 0.00	0 0.00	0 0.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	14	0	1	1	0	0	0	16

Frequency  
Row Pct

Table of Grade by Cigarettes								
Grade (Grade)	Cigarettes (Smoking tobacco use, past 30 days)							Total
	Did not use	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	Every day	
6	10 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	10
8	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	16	0	0	0	0	0	0	16

Frequency  
Row Pct

Table of Grade by Smokeless								
Grade (Grade)	Smokeless (Chewing tobacco use, past 30 days)							Total
	Did not use	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	Every day	
6	9 90.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
8	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	1	0	0	0	0	16

**Drug Use During Last 30 Days**

**Frequency  
Row Pct**

<b>Table of Grade by Marijuana</b>								
<b>Grade (Grade)</b>	<b>Marijuana (Marijuana use, past 30 days)</b>							<b>Total</b>
	<b>Did not use</b>	<b>1-2 days</b>	<b>3-5 days</b>	<b>6-9 days</b>	<b>10-19 days</b>	<b>20-29 days</b>	<b>Every day</b>	
<b>6</b>	9 90.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	1	0	0	0	0	16

**Frequency  
Row Pct**

<b>Table of Grade by Cocaine</b>								
<b>Grade (Grade)</b>	<b>Cocaine (Cocaine use, past 30 days)</b>							<b>Total</b>
	<b>Did not use</b>	<b>1-2 days</b>	<b>3-5 days</b>	<b>6-9 days</b>	<b>10-19 days</b>	<b>20-29 days</b>	<b>Every day</b>	
<b>6</b>	9 90.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	1	0	0	0	0	16

**Frequency  
Row Pct**

<b>Table of Grade by Inhalants</b>								
<b>Grade (Grade)</b>	<b>Inhalants (Inhalants use, past 30 days)</b>							<b>Total</b>
	<b>Did not use</b>	<b>1-2 days</b>	<b>3-5 days</b>	<b>6-9 days</b>	<b>10-19 days</b>	<b>20-29 days</b>	<b>Every day</b>	
<b>6</b>	9 90.00	0 0.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	0	1	0	0	0	16



### Drug Use During Last 30 Days

Frequency  
Row Pct

Table of Grade by Steroids								
Grade (Grade)	Steroids (Steroids use, past 30 days)							Total
	Did not use	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	Every day	
6	9 90.00	0 0.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	10
8	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	0	1	0	0	0	16

Frequency  
Row Pct

Table of Grade by Ecstasy								
Grade (Grade)	Ecstasy (Ecstasy use, past 30 days)							Total
	Did not use	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	Every day	
6	9 90.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	10
8	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	1	0	0	0	0	0	16

Frequency  
Row Pct

Table of Grade by Meth								
Grade (Grade)	Meth (Methamphetamine use, past 30 days)							Total
	Did not use	1-2 days	3-5 days	6-9 days	10-19 days	20-29 days	Every day	
6	9 90.00	0 0.00	0 0.00	1 10.00	0 0.00	0 0.00	0 0.00	10
8	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	0	1	0	0	0	16

**Drug Use During Last 30 Days**

**Frequency  
Row Pct**

<b>Table of Grade by Hallucinogens</b>								
<b>Grade (Grade)</b>	<b>Hallucinogens (Hallucinogens use, past 30 days)</b>							<b>Total</b>
	<b>Did not use</b>	<b>1-2 days</b>	<b>3-5 days</b>	<b>6-9 days</b>	<b>10-19 days</b>	<b>20-29 days</b>	<b>Every day</b>	
<b>6</b>	9 90.00	0 0.00	0 0.00	0 0.00	1 10.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	0	0	1	0	0	16

**Frequency  
Row Pct**

<b>Table of Grade by Prescription</b>								
<b>Grade (Grade)</b>	<b>Prescription (Prescription drugs not prescribed to me, past 30 days)</b>							<b>Total</b>
	<b>Did not use</b>	<b>1-2 days</b>	<b>3-5 days</b>	<b>6-9 days</b>	<b>10-19 days</b>	<b>20-29 days</b>	<b>Every day</b>	
<b>6</b>	9 90.00	0 0.00	0 0.00	0 0.00	1 10.00	0 0.00	0 0.00	10
<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	15	0	0	0	1	0	0	16

***How Easy Is It to Get the Following***

Frequency Col Pct	Table of Alcholease by Grade					
	Alcholease (It is easy to get alcohol)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	4 40.00	3 50.00	0 0.00	0 0.00	7
	Somewhat Agree	1 10.00	1 16.67	0 0.00	0 0.00	2
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	5 50.00	2 33.33	0 0.00	0 0.00	7
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Cigarettesease by Grade					
	Cigarettesease (It is easy to get smoking tobacco)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	4 40.00	3 50.00	0 0.00	0 0.00	7
	Somewhat Agree	1 10.00	1 16.67	0 0.00	0 0.00	2
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	5 50.00	2 33.33	0 0.00	0 0.00	7
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Smokelessease by Grade					
	Smokelessease (It is easy to get chewing tobacco)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	3 30.00	2 33.33	0 0.00	0 0.00	5
	Somewhat Agree	2 20.00	0 0.00	0 0.00	0 0.00	2
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	5 50.00	4 66.67	0 0.00	0 0.00	9
	<b>Total</b>	10	6	0	0	16

***How Easy Is It to Get the Following***

Frequency Col Pct	Table of Marijuanaease by Grade					
	Marijuanaease (It is easy to get marijuana)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	3 30.00	3 50.00	0 0.00	0 0.00	6
	<b>Somewhat Agree</b>	2 20.00	0 0.00	0 0.00	0 0.00	2
	<b>Somewhat Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Strongly Disagree</b>	5 50.00	3 50.00	0 0.00	0 0.00	8
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Cocainease by Grade					
	Cocainease (It is easy to get cocaine)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	3 30.00	3 50.00	0 0.00	0 0.00	6
	<b>Somewhat Agree</b>	2 20.00	0 0.00	0 0.00	0 0.00	2
	<b>Somewhat Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Strongly Disagree</b>	5 50.00	3 50.00	0 0.00	0 0.00	8
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Inhalantsease by Grade					
	Inhalantsease (It is easy to get inhalants)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	3 30.00	4 66.67	0 0.00	0 0.00	7
	<b>Somewhat Agree</b>	2 20.00	0 0.00	0 0.00	0 0.00	2
	<b>Somewhat Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Strongly Disagree</b>	5 50.00	2 33.33	0 0.00	0 0.00	7
	<b>Total</b>	10	6	0	0	16

*How Easy Is It to Get the Following*

Frequency Col Pct	Table of Steroidsease by Grade					
	Steroidsease (It is easy to get steroids)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	3 30.00	2 33.33	0 0.00	0 0.00	5
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
	Strongly Disagree	6 60.00	3 50.00	0 0.00	0 0.00	9
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Ecstasyease by Grade					
	Ecstasyease (It is easy to get ecstasy)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	3 30.00	2 33.33	0 0.00	0 0.00	5
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	1 10.00	1 16.67	0 0.00	0 0.00	2
	Strongly Disagree	5 50.00	3 50.00	0 0.00	0 0.00	8
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Methesease by Grade					
	Methesease (It is easy to get methamphetamines)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	3 30.00	3 50.00	0 0.00	0 0.00	6
	Somewhat Agree	2 20.00	0 0.00	0 0.00	0 0.00	2
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	5 50.00	3 50.00	0 0.00	0 0.00	8
	<b>Total</b>	10	6	0	0	16

***How Easy Is It to Get the Following***

Frequency Col Pct	Table of Hallucinogensease by Grade					
	Hallucinogensease (It is easy to get hallucinogens)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	4 40.00	1 16.67	0 0.00	0 0.00	5
	<b>Somewhat Agree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Somewhat Disagree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Strongly Disagree</b>	5 50.00	5 83.33	0 0.00	0 0.00	10
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Prescriptioneasee by Grade					
	Prescriptioneasee (It is easy to get prescription drugs not prescribed to me)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	3 30.00	3 50.00	0 0.00	0 0.00	6
	<b>Somewhat Agree</b>	1 10.00	1 16.67	0 0.00	0 0.00	2
	<b>Somewhat Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Strongly Disagree</b>	6 60.00	2 33.33	0 0.00	0 0.00	8
	<b>Total</b>	10	6	0	0	16

***Age at Onset of Use Results for "Age at Onset of Use"***  
*questions exclude students who said they did not use that substance*

**Frequency  
Row Pct**

<b>Table of Grade by Alcoholinit</b>												
<b>Grade (Grade)</b>	<b>Alcoholinit (I started using alcohol when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	1 50.00	1 50.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	1	1	0	0	1	0	0	0	0	0	0	3
<b>Frequency Missing = 13</b>												

**Frequency  
Row Pct**

<b>Table of Grade by Cigarettesinit</b>												
<b>Grade (Grade)</b>	<b>Cigarettesinit (I started smoking tobacco when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	2 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	2	0	0	0	0	0	0	0	0	0	0	2
<b>Frequency Missing = 14</b>												

***Age at Onset of Use Results for "Age at Onset of Use"***  
*questions exclude students who said they did not use that substance*

**Frequency  
Row Pct**

<b>Table of Grade by Smokelessnit</b>													
<b>Grade (Grade)</b>	<b>Smokelessnit (I started chewing tobacco when I was)</b>											<b>Total</b>	
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>		
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0	1	0	0	0	0	1
<b>Frequency Missing = 15</b>													

**Frequency  
Row Pct**

<b>Table of Grade by Marijuanainit</b>													
<b>Grade (Grade)</b>	<b>Marijuanainit (I started using marijuana when I was)</b>											<b>Total</b>	
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>		
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Frequency Missing = 16</b>													



***Age at Onset of Use Results for "Age at Onset of Use"***  
*questions exclude students who said they did not use that substance*

**Frequency  
Row Pct**

<b>Table of Grade by Cocaineinit</b>												
<b>Grade (Grade)</b>	<b>Cocaineinit (I started using cocaine when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	1	0	0	0	0	0	0	0	0	0	1
<b>Frequency Missing = 15</b>												

**Frequency  
Row Pct**

<b>Table of Grade by Inhalantsinit</b>												
<b>Grade (Grade)</b>	<b>Inhalantsinit (I started using inhalants when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	1	0	0	0	0	0	0	0	1
<b>Frequency Missing = 15</b>												

***Age at Onset of Use Results for "Age at Onset of Use"***  
*questions exclude students who said they did not use that substance*

**Frequency  
Row Pct**

<b>Table of Grade by Steroidsinit</b>												
<b>Grade (Grade)</b>	<b>Steroidsinit (I started using steroids when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0	0	0	0	1	1
<b>Frequency Missing = 15</b>												

**Frequency  
Row Pct**

<b>Table of Grade by Ecstasyinit</b>												
<b>Grade (Grade)</b>	<b>Ecstasyinit (I started using ecstasy when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	1	0	0	0	0	0	0	1
<b>Frequency Missing = 15</b>												

***Age at Onset of Use Results for "Age at Onset of Use"***  
*questions exclude students who said they did not use that substance*

**Frequency  
Row Pct**

<b>Table of Grade by Methinit</b>													
<b>Grade (Grade)</b>	<b>Methinit (I started using methamphetamines when I was)</b>											<b>Total</b>	
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>		
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0	0	1	0	0	0	1
<b>Frequency Missing = 15</b>													

**Frequency  
Row Pct**

<b>Table of Grade by Hallucinogensinit</b>													
<b>Grade (Grade)</b>	<b>Hallucinogensinit (I started using hallucinogens when I was)</b>											<b>Total</b>	
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>		
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	1	0	0	0	0	0	1
<b>Frequency Missing = 15</b>													

***Age at Onset of Use Results for "Age at Onset of Use"***  
*questions exclude students who said they did not use that substance*

**Frequency  
Row Pct**

<b>Table of Grade by Prescriptioninit</b>												
<b>Grade (Grade)</b>	<b>Prescriptioninit (I started using prescription drugs not prescribed to me when I was)</b>											<b>Total</b>
	<b>8 or younger</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18 or older</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	1
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0	0	0	0	1	1
<b>Frequency Missing = 15</b>												

*Perception of Harmfulness*

Frequency Col Pct	Table of Alcoholharm by Grade					
	Alcoholharm (I think alcohol is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	7 70.00	6 100.00	0 0.00	0 0.00	13
	Somewhat Agree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Cigarettesharm by Grade					
	Cigarettesharm (I think smoking tobacco is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	6 60.00	6 100.00	0 0.00	0 0.00	12
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Smokelessharm by Grade					
	Smokelessharm (I think chewing tobacco is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	5 50.00	6 100.00	0 0.00	0 0.00	11
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

*Perception of Harmfulness*

Frequency Col Pct	Table of Marijuanaharm by Grade					
	Marijuanaharm (I think marijuana is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	6 60.00	6 100.00	0 0.00	0 0.00	12
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Cocaine harm by Grade					
	Cocaine harm (I think cocaine is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	7 70.00	6 100.00	0 0.00	0 0.00	13
	Somewhat Agree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Inhalantsharm by Grade					
	Inhalantsharm (I think inhalants is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	5 50.00	6 100.00	0 0.00	0 0.00	11
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	4 40.00	0 0.00	0 0.00	0 0.00	4
	<b>Total</b>	10	6	0	0	16

*Perception of Harmfulness*

Frequency Col Pct	Table of Steroidsharm by Grade					
	Steroidsharm (I think steroids is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	5 50.00	6 100.00	0 0.00	0 0.00	11
	Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	4 40.00	0 0.00	0 0.00	0 0.00	4
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Ecstasyharm by Grade					
	Ecstasyharm (I think ecstasy is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	6 60.00	6 100.00	0 0.00	0 0.00	12
	Somewhat Agree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Somewhat Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Methharm by Grade					
	Methharm (I think methamphetamines is harmful)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	6 60.00	6 100.00	0 0.00	0 0.00	12
	Somewhat Agree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Somewhat Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
	Strongly Disagree	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

*Perception of Harmfulness*

Frequency Col Pct	Table of Hallucinogensharm by Grade					
	Hallucinogensharm (I think hallucinogens is harmful)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	6 60.00	6 100.00	0 0.00	0 0.00	12
	<b>Somewhat Agree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Somewhat Disagree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Strongly Disagree</b>	3 30.00	0 0.00	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Prescriptionharm by Grade					
	Prescriptionharm (I think prescription drugs not prescribed to me are harmful)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	5 50.00	5 83.33	0 0.00	0 0.00	10
	<b>Somewhat Agree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Somewhat Disagree</b>	1 10.00	1 16.67	0 0.00	0 0.00	2
	<b>Strongly Disagree</b>	4 40.00	0 0.00	0 0.00	0 0.00	4
	<b>Total</b>	10	6	0	0	16



### *Disapproval by Adults*

Frequency Col Pct	Table of Alcoholadult by Grade					
	Alcoholadult (Adults would disapprove if I used alcohol)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	9 90.00	4 66.67	0 0.00	0 0.00	13
	<b>Somewhat Agree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Somewhat Disagree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Strongly Disagree</b>	1 10.00	1 16.67	0 0.00	0 0.00	2
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Tobaccoadult by Grade					
	Tobaccoadult (Adults would disapprove if I used tobacco)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	9 90.00	5 83.33	0 0.00	0 0.00	14
	<b>Somewhat Agree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Somewhat Disagree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Strongly Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Marijuanaadult by Grade					
	Marijuanaadult (Adults would disapprove if I used marijuana)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	9 90.00	5 83.33	0 0.00	0 0.00	14
	<b>Somewhat Agree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Somewhat Disagree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>Strongly Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

*Disapproval by Adults*

Frequency  
Col Pct

Table of Otherdrugadult by Grade					
Otherdrugadult (Adults would disapprove if I used other drugs)	Grade (Grade)				Total
	6	8	10	12	
<b>Strongly Agree</b>	9 90.00	5 83.33	0 0.00	0 0.00	14
<b>Somewhat Agree</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Somewhat Disagree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
<b>Strongly Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
<b>Total</b>	10	6	0	0	16

### *Disapproval by Peers*

Frequency  
Col Pct

Table of Alcoholpeer by Grade					
Alcoholpeer (My friends would disapprove if I used alcohol)	Grade (Grade)				Total
	6	8	10	12	
Strongly Agree	8 80.00	5 83.33	0 0.00	0 0.00	13
Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
Somewhat Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
Strongly Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Tobaccopeer by Grade					
Tobaccopeer (My friends would disapprove if I used tobacco)	Grade (Grade)				Total
	6	8	10	12	
Strongly Agree	8 80.00	5 83.33	0 0.00	0 0.00	13
Somewhat Agree	2 20.00	0 0.00	0 0.00	0 0.00	2
Somewhat Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
Strongly Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Marijuanapeer by Grade					
Marijuanapeer (My friends would disapprove if I used marijuana)	Grade (Grade)				Total
	6	8	10	12	
Strongly Agree	8 80.00	5 83.33	0 0.00	0 0.00	13
Somewhat Agree	1 10.00	0 0.00	0 0.00	0 0.00	1
Somewhat Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
Strongly Disagree	1 10.00	0 0.00	0 0.00	0 0.00	1
<b>Total</b>	10	6	0	0	16

*Disapproval by Peers*

Frequency  
Col Pct

Table of Otherdrugpeer by Grade					
Otherdrugpeer (My friends would disapprove if I used other drugs)	Grade (Grade)				Total
	6	8	10	12	
<b>Strongly Agree</b>	8 80.00	5 83.33	0 0.00	0 0.00	13
<b>Somewhat Agree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
<b>Somewhat Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
<b>Strongly Disagree</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
<b>Total</b>	10	6	0	0	16

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Alcohollocation1 by Grade					
	Alcohollocation1 (Places Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	1 10.00	2 33.33	0 0.00	0 0.00	3	
Do Not Use	9 90.00	4 66.67	0 0.00	0 0.00	13	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Alcohollocation2 by Grade					
	Alcohollocation2 (Places Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	9 90.00	4 66.67	0 0.00	0 0.00	13	
Home	1 10.00	2 33.33	0 0.00	0 0.00	3	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Alcohollocation3 by Grade					
	Alcohollocation3 (Places Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
School	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Alcohollocation4 by Grade					
	Alcohollocation4 (Places Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
Car	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Alcohollocation5 by Grade					
	Alcohollocation5 (Places Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	9 90.00	5 83.33	0 0.00	0 0.00	14	
Friend's House	1 10.00	1 16.67	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Alcohollocation6 by Grade					
	Alcohollocation6 (Places Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
Other	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccolocation1 by Grade					
	Tobaccolocation1 (Places Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	0 0.00	2 33.33	0 0.00	0 0.00	2	
Do Not Use	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccolocation2 by Grade					
	Tobaccolocation2 (Places Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
Do Not Use	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Tobaccolocation3 by Grade					
	Tobaccolocation3 (Places Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
School	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccolocation4 by Grade					
	Tobaccolocation4 (Places Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
Car	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccolocation5 by Grade					
	Tobaccolocation5 (Places Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
Friend's House	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccolocation6 by Grade					
	Tobaccolocation6 (Places Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
Other	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Marijuanalocation1 by Grade					
	Marijuanalocation1 (Places Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Do Not Use</b>	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Marijuanalocation2 by Grade					
	Marijuanalocation2 (Places Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Home</b>	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Marijuanalocation3 by Grade					
	Marijuanalocation3 (Places Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
<b>School</b>	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Marijuanalocation4 by Grade					
	Marijuanalocation4 (Places Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
<b>Car</b>	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	



*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Marijuanalocation5 by Grade					
	Marijuanalocation5 (Places Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	<b>Friend's House</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Marijuanalocation6 by Grade					
	Marijuanalocation6 (Places Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
	<b>Other</b>	0 0.00	2 33.33	0 0.00	0 0.00	2
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Otherdruglocation1 by Grade					
	Otherdruglocation1 (Places Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	0 0.00	2 33.33	0 0.00	0 0.00	2	
	<b>Do Not Use</b>	10 100.00	4 66.67	0 0.00	0 0.00	14
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Otherdruglocation2 by Grade					
	Otherdruglocation2 (Places Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
	<b>Home</b>	0 0.00	2 33.33	0 0.00	0 0.00	2
	<b>Total</b>	10	6	0	0	16

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Otherdruglocation3 by Grade					
	Otherdruglocation3 (Places Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
School	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdruglocation4 by Grade					
	Otherdruglocation4 (Places Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
Car	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdruglocation5 by Grade					
	Otherdruglocation5 (Places Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
Friend's House	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdruglocation6 by Grade					
	Otherdruglocation6 (Places Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
Other	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Alcoholtime1 by Grade					
	Alcoholtime1 (Times Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	1 10.00	2 33.33	0 0.00	0 0.00	3	
	<b>Do Not Use</b>	9 90.00	4 66.67	0 0.00	0 0.00	13
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Alcoholtime2 by Grade					
	Alcoholtime2 (Times Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	<b>On Way to School</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Alcoholtime3 by Grade					
	Alcoholtime3 (Times Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
	<b>During School</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Alcoholtime4 by Grade					
	Alcoholtime4 (Times Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	<b>On Way Home From School</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Alcoholtime5 by Grade					
	Alcoholtime5 (Times Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
<b>Weeknights</b>	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Alcoholtime6 by Grade					
	Alcoholtime6 (Times Friends Use Alcohol)	Grade (Grade)				Total
		6	8	10	12	
.	9 90.00	4 66.67	0 0.00	0 0.00	13	
<b>Weekends</b>	1 10.00	2 33.33	0 0.00	0 0.00	3	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccotime1 by Grade					
	Tobaccotime1 (Times Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Do Not Use</b>	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Tobaccotime2 by Grade					
	Tobaccotime2 (Times Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
<b>On Way to School</b>	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Tobaccotime3 by Grade					
	Tobaccotime3 (Times Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
	<b>During School</b>	0 0.00	0 0.00	0 0.00	0	
	<b>Total</b>	10	6	0	16	

Frequency Col Pct	Table of Tobaccotime4 by Grade					
	Tobaccotime4 (Times Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	<b>On Way Home From School</b>	0 0.00	1 16.67	0 0.00	1	
	<b>Total</b>	10	6	0	16	

Frequency Col Pct	Table of Tobaccotime5 by Grade					
	Tobaccotime5 (Times Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	<b>Weeknights</b>	0 0.00	1 16.67	0 0.00	1	
	<b>Total</b>	10	6	0	16	

Frequency Col Pct	Table of Tobaccotime6 by Grade					
	Tobaccotime6 (Times Friends Use Tobacco)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
	<b>Weekends</b>	0 0.00	2 33.33	0 0.00	2	
	<b>Total</b>	10	6	0	16	

*When do My Friends Use - Percentage of Students who selected the following responses.*

*Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Marijuanatime1 by Grade					
	Marijuanatime1 (Times Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	0 0.00	2 33.33	0 0.00	0 0.00	2	
	Do Not Use	10 100.00	4 66.67	0 0.00	0 0.00	14
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Marijuanatime2 by Grade					
	Marijuanatime2 (Times Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	On Way to School	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Marijuanatime3 by Grade					
	Marijuanatime3 (Times Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
	During School	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Marijuanatime4 by Grade					
	Marijuanatime4 (Times Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
	On Way Home From School	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Marijuanatime5 by Grade					
	Marijuanatime5 (Times Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
<b>Weeknights</b>	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Marijuanatime6 by Grade					
	Marijuanatime6 (Times Friends Use Marijuana)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Weekends</b>	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdrugtime1 by Grade					
	Otherdrugtime1 (Times Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Do Not Use</b>	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdrugtime2 by Grade					
	Otherdrugtime2 (Times Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
<b>On Way to School</b>	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Col Pct	Table of Otherdrugtime3 by Grade					
	Otherdrugtime3 (Times Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	6 100.00	0 0.00	0 0.00	16	
<b>During School</b>	0 0.00	0 0.00	0 0.00	0 0.00	0	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdrugtime4 by Grade					
	Otherdrugtime4 (Times Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
<b>On Way Home From School</b>	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdrugtime5 by Grade					
	Otherdrugtime5 (Times Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	5 83.33	0 0.00	0 0.00	15	
<b>Weeknights</b>	0 0.00	1 16.67	0 0.00	0 0.00	1	
<b>Total</b>	10	6	0	0	16	

Frequency Col Pct	Table of Otherdrugtime6 by Grade					
	Otherdrugtime6 (Times Friends Use Other Illegal Drugs)	Grade (Grade)				Total
		6	8	10	12	
.	10 100.00	4 66.67	0 0.00	0 0.00	14	
<b>Weekends</b>	0 0.00	2 33.33	0 0.00	0 0.00	2	
<b>Total</b>	10	6	0	0	16	



### Other Questions

Frequency  
Col Pct

Table of Educationalcohol by Grade					
Educationalcohol (I have been taught about alcohol, tobacco, and other drugs within the last year at school)	Grade (Grade)				Total
	6	8	10	12	
Yes	6 60.00	5 83.33	0 0.00	0 0.00	11
No	4 40.00	1 16.67	0 0.00	0 0.00	5
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Eversmoked by Grade					
Eversmoked (I have smoked a cigarette)	Grade (Grade)				Total
	6	8	10	12	
Yes	1 10.00	1 16.67	0 0.00	0 0.00	2
No	9 90.00	5 83.33	0 0.00	0 0.00	14
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Drovedrinking by Grade					
Drovedrinking (In the past 30 days I have driven a car or other vehicle while I was drinking alcohol)	Grade (Grade)				Total
	6	8	10	12	
Yes	0 0.00	0 0.00	0 0.00	0 0.00	0
No	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	16

Frequency  
Col Pct

Table of Rodedrinking by Grade					
Rodedrinking (In the past 30 days I have ridden in a car with a driver who had been drinking alcohol)	Grade (Grade)				Total
	6	8	10	12	
Yes	2 20.00	1 16.67	0 0.00	0 0.00	3
No	8 80.00	5 83.33	0 0.00	0 0.00	13
<b>Total</b>	10	6	0	0	16

### Other Questions

Frequency Col Pct	Table of Drugsschool by Grade					
	Drugsschool (During the past 12 months, I have been offered, sold, or given illegal drugs on school property)	Grade (Grade)				Total
		6	8	10	12	
	<b>Yes</b>	1 10.00	0 0.00	0 0.00	0 0.00	1
	<b>No</b>	9 90.00	6 100.00	0 0.00	0 0.00	15
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Helpbullied by Grade					
	Helpbullied (I would help someone who was being bullied)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	8 80.00	3 50.00	0 0.00	0 0.00	11
	<b>Somewhat Agree</b>	0 0.00	2 33.33	0 0.00	0 0.00	2
	<b>Somewhat Disagree</b>	2 20.00	0 0.00	0 0.00	0 0.00	2
	<b>Strongly Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Row Pct	Table of Grade by Bingedrinking							
	Grade (Grade)	Bingedrinking (I have drunk five or more drinks of alcohol at one sitting during the last 30 days)						Total
		0 Days	1 or 2 days	3 to 5 days	6 to 9 days	10 to 19 days	20 to 29 days	
	<b>6</b>	9 90.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	10
	<b>8</b>	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
	<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	15	1	0	0	0	0	16

### *Nutrition*

Frequency  
Row Pct

Table of Grade by Dairy					
Grade (Grade)	Dairy (I eat at least 3 servings of dairy products each day)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	7 70.00	3 75.00	0 0.00	0 0.00	10
8	3 30.00	1 25.00	0 0.00	2 100.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	10	4	0	2	16

Frequency  
Row Pct

Table of Grade by Fruitveg					
Grade (Grade)	Fruitveg (I eat at least 5 servings of fruits and vegetables each day)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	6 85.71	2 50.00	2 66.67	0 0.00	10
8	1 14.29	2 50.00	1 33.33	2 100.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	7	4	3	2	16

Frequency  
Row Pct

Table of Grade by Cafeteriahealthy					
Grade (Grade)	Cafeteriahealthy (School meals in my school cafeteria are healthy)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	5 83.33	3 75.00	2 66.67	0 0.00	10
8	1 16.67	1 25.00	1 33.33	3 100.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	6	4	3	3	16

### *Nutrition*

Frequency  
Row Pct

Table of Grade by Cafeterianutrition					
Grade (Grade)	Cafeterianutrition (Facts about nutrition are available in my school cafeteria)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	7 70.00	2 100.00	0 0.00	1 33.33	10
8	3 30.00	0 0.00	1 100.00	2 66.67	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	10	2	1	3	16

Frequency  
Row Pct

Table of Grade by Schoollunch					
Grade (Grade)	Schoollunch (I eat at least 3 servings of dairy products each day)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	5 55.56	2 100.00	1 100.00	2 50.00	10
8	4 44.44	0 0.00	0 0.00	2 50.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	9	2	1	4	16

Frequency  
Row Pct

Table of Grade by Foodchoices					
Grade (Grade)	Foodchoices (I make healthy food choices in my school cafeteria)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	6 66.67	3 100.00	1 50.00	0 0.00	10
8	3 33.33	0 0.00	1 50.00	2 100.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	9	3	2	2	16

### Nutrition

Frequency  
Row Pct

Table of Grade by Wholewheat					
Grade (Grade)	Wholewheat (There are whole wheat and multigrain breads and cereals available in my school cafeteria)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	6 66.67	2 50.00	1 100.00	1 50.00	10
8	3 33.33	2 50.00	0 0.00	1 50.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	9	4	1	2	16

Frequency  
Row Pct

Table of Grade by Healthyvending					
Grade (Grade)	Healthyvending (If only healthy snacks and beverages were available in the vending machines during the school day,I would buy them)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	7 58.33	2 100.00	0 0.00	1 50.00	10
8	5 41.67	0 0.00	0 0.00	1 50.00	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	12	2	0	2	16

Frequency  
Row Pct

Table of Grade by Schoolbreakfast					
Grade (Grade)	Schoolbreakfast (If breakfast were available at school, but outside the cafeteria, I would eat breakfast at school more often)				Total
	Strongly Agree	Somewhat Agree	Somewhat Disagree	Strongly Disagree	
6	4 57.14	1 50.00	1 100.00	4 66.67	10
8	3 42.86	1 50.00	0 0.00	2 33.33	6
10	0 0.00	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	7	2	1	6	16

### Other Questions

Frequency  
Col Pct

Table of Educationaids by Grade					
Educationaids (I have been taught about HIV/AIDS at school in the past year)	Grade (Grade)				Total
	6	8	10	12	
Yes	6 60.00	5 83.33	0 0.00	0 0.00	11
No	4 40.00	1 16.67	0 0.00	0 0.00	5
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Educationcharacter by Grade					
Educationcharacter (I have been taught about character education in the past year at school)	Grade (Grade)				Total
	6	8	10	12	
Yes	7 70.00	4 66.67	0 0.00	0 0.00	11
No	3 30.00	2 33.33	0 0.00	0 0.00	5
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Gradcoach1 by Grade					
Gradcoach1 (I know who my Graduation Coach is)	Grade (Grade)				Total
	6	8	10	12	
Yes	7 70.00	5 83.33	0 0.00	0 0.00	12
No	3 30.00	1 16.67	0 0.00	0 0.00	4
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Gradcoach2 by Grade					
Gradcoach2 (I have contacted my Graduation Coach)	Grade (Grade)				Total
	6	8	10	12	
Yes	4 40.00	1 16.67	0 0.00	0 0.00	5
No	6 60.00	5 83.33	0 0.00	0 0.00	11
<b>Total</b>	10	6	0	0	16

### Other Questions

Frequency  
Col Pct

Table of Gradcoach3 by Grade					
Gradcoach3 (I have received assistance from my GraduationCoach)	Grade (Grade)				Total
	6	8	10	12	
Yes	4 40.00	2 33.33	0 0.00	0 0.00	6
No	4 40.00	1 16.67	0 0.00	0 0.00	5
No	2 20.00	3 50.00	0 0.00	0 0.00	5
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Selfharm by Grade					
Selfharm (During the past 12 months, I harmed myself on purpose Suicide consider During the past 12 months, I seriously considered suicide)	Grade (Grade)				Total
	6	8	10	12	
Yes	1 10.00	0 0.00	0 0.00	0 0.00	1
No	9 90.00	6 100.00	0 0.00	0 0.00	15
<b>Total</b>	10	6	0	0	16

Frequency  
Col Pct

Table of Suicideconsider by Grade					
Suicideconsider (Suicide consider During the past 12 months, I seriously considered suicide)	Grade (Grade)				Total
	6	8	10	12	
Yes	0 0.00	0 0.00	0 0.00	0 0.00	0
No	10 100.00	6 100.00	0 0.00	0 0.00	16
<b>Total</b>	10	6	0	0	16

### Other Questions

Frequency Col Pct	Table of Suicideattempt by Grade					
	Suicideattempt (I have attempted suicide in the last year)	Grade (Grade)				Total
		6	8	10	12	
	<b>Yes</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>No</b>	10 100.00	6 100.00	0 0.00	0 0.00	16
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Instantmessed by Grade					
	Instantmessed (I have instant messed people I do not even know)	Grade (Grade)				Total
		6	8	10	12	
	<b>Yes</b>	3 30.00	1 16.67	0 0.00	0 0.00	4
	<b>No</b>	7 70.00	5 83.33	0 0.00	0 0.00	12
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Getsalong by Grade					
	Getsalong (I get along with other students and adults)	Grade (Grade)				Total
		6	8	10	12	
	<b>Strongly Agree</b>	6 60.00	2 33.33	0 0.00	0 0.00	8
	<b>Somewhat Agree</b>	2 20.00	2 33.33	0 0.00	0 0.00	4
	<b>Somewhat Disagree</b>	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Strongly Disagree</b>	2 20.00	1 16.67	0 0.00	0 0.00	3
	<b>Total</b>	10	6	0	0	16



### Other Questions

Frequency Col Pct	Table of Safehome by Grade					
	Safehome (I feel safe at home)	Grade (Grade)				Total
		6	8	10	12	
	Strongly Agree	10 100.00	4 66.67	0 0.00	0 0.00	14
	Somewhat Agree	0 0.00	1 16.67	0 0.00	0 0.00	1
	Somewhat Disagree	0 0.00	0 0.00	0 0.00	0 0.00	0
	Strongly Disagree	0 0.00	1 16.67	0 0.00	0 0.00	1
	<b>Total</b>	10	6	0	0	16

Frequency Col Pct	Table of Adulttalk by Grade					
	Adulttalk (I know an adult at school that I can talk with if I need help)	Grade (Grade)				Total
		6	8	10	12	
	Yes	9 90.00	5 83.33	0 0.00	0 0.00	14
	No	1 10.00	1 16.67	0 0.00	0 0.00	2
	<b>Total</b>	10	6	0	0	16

Frequency Row Pct	Table of Grade by Tvtime							
	Grade (Grade)	Tvtime (On an average school day, how much unsupervised time do I spend watching TV)					Total	
		None	Less than 1 hour/day	1 hour/day	2-3 hours/da y	4-5 hours/da y		6+ hours/da y
	6	2 20.00	2 20.00	0 0.00	0 0.00	1 10.00	5 50.00	10
	8	2 33.33	1 16.67	0 0.00	1 16.67	1 16.67	1 16.67	6
	10	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	12	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
	<b>Total</b>	4	3	0	1	2	6	16

*Other Questions*

Frequency  
Row Pct

Table of Grade by Computertime							
Grade (Grade)	Computertime (On an average school day, how much unsupervised time do I spend on the computer)						Total
	None	Less than 1 hour/day	1 hour/day	2-3 hours/day	4-5 hours/day	6+ hours/day	
<b>6</b>	2 20.00	2 20.00	2 20.00	1 10.00	1 10.00	2 20.00	10
<b>8</b>	3 50.00	0 0.00	2 33.33	0 0.00	0 0.00	1 16.67	6
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	5	2	4	1	1	3	16

**Questions about Driving Laws**

*Driving Questions were asked only of high school students.*

**Frequency  
Row Pct**

<b>Table of Grade by License1</b>						
<b>Grade (Grade)</b>	<b>License1 (During the first 6 months of driving with a provisional license, the only passengers who can ride with the driver are:)</b>					<b>Total</b>
	<b>Parent or Guardian</b>	<b>Family Members</b>	<b>Friends</b>	<b>Anyone</b>	<b>Don't Know</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0
<b>Frequency Missing = 16</b>						

**Frequency  
Row Pct**

<b>Table of Grade by License2</b>						
<b>Grade (Grade)</b>	<b>License2 (17 yr old drivers with a provisional driver's license cannot drive between the hours of:)</b>					<b>Total</b>
	<b>Midnight to 6am</b>	<b>1am to 5am</b>	<b>1am to 6am</b>	<b>No curfew for 17 year olds</b>	<b>Don't Know</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0
<b>Frequency Missing = 16</b>						

**Questions about Driving Laws**

*Driving Questions were asked only of high school students.*

**Frequency  
Row Pct**

<b>Table of Grade by License3</b>							
<b>Grade (Grade)</b>	<b>License3 (For drivers under the age of 21, what level of alcohol is considered DUI?)</b>						<b>Total</b>
	<b>Any Amount</b>	<b>0.02</b>	<b>0.04</b>	<b>0.06</b>	<b>0.08</b>	<b>Don't Know</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0
<b>Frequency Missing = 16</b>							

**Frequency  
Row Pct**

<b>Table of Grade by License4</b>							
<b>Grade (Grade)</b>	<b>License4 (A driver under 21 automatically loses his/her license if caught exceeding the posted speed limit by:)</b>						<b>Total</b>
	<b>15+ mph</b>	<b>25+ mph</b>	<b>35+ mph</b>	<b>Depends on judge</b>	<b>Can't lose license for speeding</b>	<b>Don't Know</b>	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0	0	0
<b>Frequency Missing = 16</b>							

*Questions about Driving Laws*

*Driving Questions were asked only of high school students.*

Frequency  
Row Pct

Table of Grade by License5				
Grade (Grade)	License5 (A Georgia teenager with family connections or a good lawyer can break a teen driving law and keep their driver's license)			Total
	Yes	No	Don't Know	
6	0 0.00	0 0.00	0 0.00	0
8	0 0.00	0 0.00	0 0.00	0
10	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0
<b>Frequency Missing = 16</b>				

Frequency  
Row Pct

Table of Grade by License6				
Grade (Grade)	License6 (I know a friend or classmate that broke a teen driving law, but was allowed to keep his/her license)			Total
	Yes	No	Don't Know	
6	0 0.00	0 0.00	0 0.00	0
8	0 0.00	0 0.00	0 0.00	0
10	0 0.00	0 0.00	0 0.00	0
12	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0
<b>Frequency Missing = 16</b>				

*Questions about Driving Laws*

*Driving Questions were asked only of high school students.*

Frequency  
Row Pct

Table of Grade by License7					
Grade (Grade)	License7 (A student under the age of 18 can lose his/her driving privileges if he or she:)				Total
	Have more than 10 unexcused absences per school year	Drop out without graduating	Bring alcohol/drugs/weapon to school	All oftheabove	
<b>6</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>8</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>10</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>12</b>	0 0.00	0 0.00	0 0.00	0 0.00	0
<b>Total</b>	0	0	0	0	0
<b>Frequency Missing = 16</b>					

*Select Results by Gender*

Frequency Col Pct	Table of SchoolClimate2 by Gender			
	SchoolClimate2 (I feel successful at school)	Gender(Gender)		Total
		Female	Male	
	Strongly Agree	5 83.33	5 50.00	10
	Somewhat Agree	1 16.67	5 50.00	6
	Somewhat Disagree	0 0.00	0 0.00	0
	Strongly Disagree	0 0.00	0 0.00	0
	<b>Total</b>	6	10	16

Frequency Col Pct	Table of SchoolClimate6 by Gender			
	SchoolClimate6 (Teachers treat me with respect)	Gender(Gender)		Total
		Female	Male	
	Strongly Agree	4 66.67	5 50.00	9
	Somewhat Agree	0 0.00	4 40.00	4
	Somewhat Disagree	2 33.33	0 0.00	2
	Strongly Disagree	0 0.00	1 10.00	1
	<b>Total</b>	6	10	16

Frequency Col Pct	Table of SchoolClimate8 by Gender			
	SchoolClimate8 (Students are frequently recognized for good behavior)	Gender(Gender)		Total
		Female	Male	
	Strongly Agree	4 66.67	6 60.00	10
	Somewhat Agree	1 16.67	4 40.00	5
	Somewhat Disagree	1 16.67	0 0.00	1
	Strongly Disagree	0 0.00	0 0.00	0
	<b>Total</b>	6	10	16

*Select Results by Gender*

Frequency Row Pct	Table of Gender by Dropout			
	Gender (Gender)	Dropout(I have thought about dropping out of school)		Total
		Yes	No	
	Female	1 16.67	5 83.33	6
	Male	0 0.00	10 100.00	10
	<b>Total</b>	1	15	16

Frequency Row Pct	Table of Gender by Dropoutreason						
	Gender (Gender)	Dropoutreason(If I dropped out thereason would most likely be...))				Total	
		Won't Dropout	Bored	Family Reasons	Being Bullied		Other
	Female	4 66.67	0 0.00	1 16.67	1 16.67	0 0.00	6
	Male	8 80.00	0 0.00	0 0.00	1 10.00	1 10.00	10
	<b>Total</b>	12	0	1	2	1	16



### School Safety

Frequency Row Pct	Table of Gender by Bullied2			
	Gender (Gender)	Bullied2		Total
		Yes	No	
	Female	3 50.00	3 50.00	6
	Male	4 40.00	6 60.00	10
	<b>Total</b>	7	9	16

Frequency Row Pct	Table of Gender by Bulliedothers2			
	Gender (Gender)	Bulliedothers2		Total
		Yes	No	
	Female	1 16.67	5 83.33	6
	Male	3 30.00	7 70.00	10
	<b>Total</b>	4	12	16

Frequency Row Pct	Table of Gender by Weaponschool2			
	Gender (Gender)	Weaponschool2		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	2 20.00	8 80.00	10
	<b>Total</b>	2	14	16

Frequency Row Pct	Table of Gender by Absentunsafe2			
	Gender (Gender)	Absentunsafe2		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	2 20.00	8 80.00	10
	<b>Total</b>	2	14	16

### *School Safety*

Frequency Row Pct	Table of Gender by Gangself			
	Gender (Gender)	Gangself (I have participated in illegal gang activities in the past 30 days)		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	0 0.00	10 100.00	10
	<b>Total</b>	0	16	16

Frequency Row Pct	Table of Gender by Gangpeers			
	Gender (Gender)	Gangpeers (I have friends who have participated in illegal gang activities in the past 30 days)		Total
		Yes	No	
	Female	3 50.00	3 50.00	6
	Male	3 30.00	7 70.00	10
	<b>Total</b>	6	10	16

Frequency Row Pct	Table of Gender by Pickedon2			
	Gender (Gender)	Pickedon2		Total
		Yes	No	
	Female	2 33.33	4 66.67	6
	Male	4 40.00	6 60.00	10
	<b>Total</b>	6	10	16

Frequency Row Pct	Table of Gender by Safeschool2			
	Gender (Gender)	Safeschool2		Total
		Yes	No	
	Female	3 50.00	3 50.00	6
	Male	7 70.00	3 30.00	10
	<b>Total</b>	10	6	16

### *Incidence of Drug Use*

Frequency Row Pct	Table of Gender by AlcoholAlt			
	Gender (Gender)	AlcoholAlt (Alcohol use, past 30 days)		Total
		Yes	No	
	Female	1 16.67	5 83.33	6
	Male	1 10.00	9 90.00	10
	<b>Total</b>	2	14	16

Frequency Row Pct	Table of Gender by TobaccoAny			
	Gender (Gender)	TobaccoAny (Tobacco use, past 30 days)		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	1 10.00	9 90.00	10
	<b>Total</b>	1	15	16

Frequency Row Pct	Table of Gender by MarijuanaAlt			
	Gender (Gender)	MarijuanaAlt (Marijuana use, past 30 days)		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	1 10.00	9 90.00	10
	<b>Total</b>	1	15	16

Frequency Row Pct	Table of Gender by OtherDrugAny			
	Gender (Gender)	OtherDrugAny (Other drug use, past 30 days)		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	1 10.00	9 90.00	10
	<b>Total</b>	1	15	16

***Average Age at Onset of Use Results for "Average Age at Onset of Use"  
questions exclude students who said they did not use that substance***

***Gender=Female***

<b>Variable</b>	<b>Label</b>	<b>Mean</b>
Alcoholinit2	I started using alcohol when I was	10.00
Cigarettesinit2	I started smoking tobacco when I was	
Smokelessinit2	I started chewing tobacco when I was	
Marijuanainit2	I started using marijuana when I was	
Cocaineinit2	I started using cocaine when I was	
Inhalantsinit2	I started using inhalants when I was	
Steroidsinit2	I started using steroids when I was	
Ecstasyinit2	I started using ecstasy when I was	
Methinit2	I started using methamphetamines when I was	
Hallucinogensinit2	I started using hallucinogens when I was	
Prescriptioninit2	I started using prescription drugs not prescribed to me when I was	

***Gender=Male***

<b>Variable</b>	<b>Label</b>	<b>Mean</b>
Alcoholinit2	I started using alcohol when I was	9.00
Cigarettesinit2	I started smoking tobacco when I was	8.00
Smokelessinit2	I started chewing tobacco when I was	15.00
Marijuanainit2	I started using marijuana when I was	
Cocaineinit2	I started using cocaine when I was	9.00
Inhalantsinit2	I started using inhalants when I was	11.00
Steroidsinit2	I started using steroids when I was	18.00
Ecstasyinit2	I started using ecstasy when I was	12.00
Methinit2	I started using methamphetamines when I was	16.00
Hallucinogensinit2	I started using hallucinogens when I was	14.00
Prescriptioninit2	I started using prescription drugs not prescribed to me when I was	18.00

*I Think These Drugs are Harmful*

Frequency Row Pct	Table of Gender by Alcoholharmdich			
	Gender (Gender)	Alcoholharmdich (I think alcohol is harmful)		Total
		Yes	No	
	Female	5 83.33	1 16.67	6
	Male	8 80.00	2 20.00	10
	<b>Total</b>	13	3	16

Frequency Row Pct	Table of Gender by Tobaccoharmdich			
	Gender (Gender)	Tobaccoharmdich (I think tobacco is harmful)		Total
		Yes	No	
	Female	5 83.33	2 33.33	7
	Male	8 80.00	2 20.00	10
	<b>Total</b>	13	4	16

Frequency Row Pct	Table of Gender by Marijuanaharmdich			
	Gender (Gender)	Marijuanaharmdich (I think marijuana is harmful)		Total
		Yes	No	
	Female	5 83.33	1 16.67	6
	Male	8 80.00	2 20.00	10
	<b>Total</b>	13	3	16

Frequency Row Pct	Table of Gender by Otherdrugharmdich			
	Gender (Gender)	Otherdrugharmdich (I think other drugs are harmful)		Total
		Yes	No	
	Female	5 83.33	2 33.33	7
	Male	8 80.00	4 40.00	12
	<b>Total</b>	13	6	16

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Alcohollocation1			
	Gender (Gender)	Alcohollocation1 (Places Friends Use Alcohol)		Total
		.	Do Not Use	
Female	2 33.33	4 66.67	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	3	13	16	

Frequency Row Pct	Table of Gender by Alcohollocation2			
	Gender (Gender)	Alcohollocation2 (Places Friends Use Alcohol)		Total
		.	Home	
Female	4 66.67	2 33.33	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	13	3	16	

Frequency Row Pct	Table of Gender by Alcohollocation3			
	Gender (Gender)	Alcohollocation3 (Places Friends Use Alcohol)		Total
		.	School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Alcohollocation4			
	Gender (Gender)	Alcohollocation4 (Places Friends Use Alcohol)		Total
		.	Car	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Alcohollocation5			
	Gender (Gender)	Alcohollocation5 (Places Friends Use Alcohol)		Total
		.	Friend's House	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

Frequency Row Pct	Table of Gender by Alcohollocation6			
	Gender (Gender)	Alcohollocation6 (Places Friends Use Alcohol)		Total
		.	Other	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

Frequency Row Pct	Table of Gender by Tobaccolocation1			
	Gender (Gender)	Tobaccolocation1 (Places Friends Use Tobacco)		Total
		.	Do Not Use	
Female	1 16.67	5 83.33	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	2	14	16	

Frequency Row Pct	Table of Gender by Tobaccolocation2			
	Gender (Gender)	Tobaccolocation2 (Places Friends Use Tobacco)		Total
		.	Home	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Tobaccolocation3			
	Gender (Gender)	Tobaccolocation3 (Places Friends Use Tobacco)		Total
		.	School	
	Female	6 100.00	0 0.00	6
	Male	10 100.00	0 0.00	10
	<b>Total</b>	16	0	16

Frequency Row Pct	Table of Gender by Tobaccolocation4			
	Gender (Gender)	Tobaccolocation4 (Places Friends Use Tobacco)		Total
		.	Car	
	Female	6 100.00	0 0.00	6
	Male	10 100.00	0 0.00	10
	<b>Total</b>	16	0	16

Frequency Row Pct	Table of Gender by Tobaccolocation5			
	Gender (Gender)	Tobaccolocation5 (Places Friends Use Tobacco)		Total
		.	Friend's House	
	Female	6 100.00	0 0.00	6
	Male	9 90.00	1 10.00	10
	<b>Total</b>	15	1	16

Frequency Row Pct	Table of Gender by Tobaccolocation6			
	Gender (Gender)	Tobaccolocation6 (Places Friends Use Tobacco)		Total
		.	Other	
	Female	5 83.33	1 16.67	6
	Male	9 90.00	1 10.00	10
	<b>Total</b>	14	2	16



*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Marijuanalocation1			
	Gender (Gender)	Marijuanalocation1 (Places Friends Use Marijuana)		Total
		.	Do Not Use	
Female	1 16.67	5 83.33	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	2	14	16	

Frequency Row Pct	Table of Gender by Marijuanalocation2			
	Gender (Gender)	Marijuanalocation2 (Places Friends Use Marijuana)		Total
		.	Home	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

Frequency Row Pct	Table of Gender by Marijuanalocation3			
	Gender (Gender)	Marijuanalocation3 (Places Friends Use Marijuana)		Total
		.	School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Marijuanalocation4			
	Gender (Gender)	Marijuanalocation4 (Places Friends Use Marijuana)		Total
		.	Car	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Marijuanalocation5			
	Gender (Gender)	Marijuanalocation5 (Places Friends Use Marijuana)		Total
		.	Friend's House	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Marijuanalocation6			
	Gender (Gender)	Marijuanalocation6 (Places Friends Use Marijuana)		Total
		.	Other	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

Frequency Row Pct	Table of Gender by Otherdruglocation1			
	Gender (Gender)	Otherdruglocation1 (Places Friends Use Other Illegal Drugs)		Total
		.	Do Not Use	
Female	1 16.67	5 83.33	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	2	14	16	

Frequency Row Pct	Table of Gender by Otherdruglocation2			
	Gender (Gender)	Otherdruglocation2 (Places Friends Use Other Illegal Drugs)		Total
		.	Home	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

*Where do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Otherdruglocation3			
	Gender (Gender)	Otherdruglocation3 (Places Friends Use Other Illegal Drugs)		Total
		.	School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Otherdruglocation4			
	Gender (Gender)	Otherdruglocation4 (Places Friends Use Other Illegal Drugs)		Total
		.	Car	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Otherdruglocation5			
	Gender (Gender)	Otherdruglocation5 (Places Friends Use Other Illegal Drugs)		Total
		.	Friend's House	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Otherdruglocation6			
	Gender (Gender)	Otherdruglocation6 (Places Friends Use Other Illegal Drugs)		Total
		.	Other	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Alcoholtime1			
	Gender (Gender)	Alcoholtime1 (Times Friends Use Alcohol)		Total
		.	Do Not Use	
Female	2 33.33	4 66.67	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	3	13	16	

Frequency Row Pct	Table of Gender by Alcoholtime2			
	Gender (Gender)	Alcoholtime2 (Times Friends Use Alcohol)		Total
		.	On Way to School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Alcoholtime3			
	Gender (Gender)	Alcoholtime3 (Times Friends Use Alcohol)		Total
		.	During School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Alcoholtime4			
	Gender (Gender)	Alcoholtime4 (Times Friends Use Alcohol)		Total
		.	On Way Home From School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Alcoholtimes5			
	Gender (Gender)	Alcoholtimes5 (Times Friends Use Alcohol)		Total
		.	Weeknights	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Alcoholtimes6			
	Gender (Gender)	Alcoholtimes6 (Times Friends Use Alcohol)		Total
		.	Weekends	
Female	4 66.67	2 33.33	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	13	3	16	

Frequency Row Pct	Table of Gender by Tobaccotime1			
	Gender (Gender)	Tobaccotime1 (Times Friends Use Tobacco)		Total
		.	Do Not Use	
Female	1 16.67	5 83.33	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	2	14	16	

Frequency Row Pct	Table of Gender by Tobaccotime2			
	Gender (Gender)	Tobaccotime2 (Times Friends Use Tobacco)		Total
		.	On Way to School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Tobaccotime3			
	Gender (Gender)	Tobaccotime3 (Times Friends Use Tobacco)		Total
		.	During School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Tobaccotime4			
	Gender (Gender)	Tobaccotime4 (Times Friends Use Tobacco)		Total
		.	On Way Home From School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Tobaccotime5			
	Gender (Gender)	Tobaccotime5 (Times Friends Use Tobacco)		Total
		.	Weeknights	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Tobaccotime6			
	Gender (Gender)	Tobaccotime6 (Times Friends Use Tobacco)		Total
		.	Weekends	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Marijuanatime1			
	Gender (Gender)	Marijuanatime1 (Times Friends Use Marijuana)		Total
		.	Do Not Use	
Female	1 16.67	5 83.33	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	2	14	16	

Frequency Row Pct	Table of Gender by Marijuanatime2			
	Gender (Gender)	Marijuanatime2 (Times Friends Use Marijuana)		Total
		.	On Way to School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Marijuanatime3			
	Gender (Gender)	Marijuanatime3 (Times Friends Use Marijuana)		Total
		.	During School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Marijuanatime4			
	Gender (Gender)	Marijuanatime4 (Times Friends Use Marijuana)		Total
		.	On Way Home From School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Marijuanatime5			
	Gender (Gender)	Marijuanatime5 (Times Friends Use Marijuana)		Total
		.	Weeknights	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Marijuanatime6			
	Gender (Gender)	Marijuanatime6 (Times Friends Use Marijuana)		Total
		.	Weekends	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

Frequency Row Pct	Table of Gender by Otherdrugtime1			
	Gender (Gender)	Otherdrugtime1 (Times Friends Use Other Illegal Drugs)		Total
		.	Do Not Use	
Female	1 16.67	5 83.33	6	
Male	1 10.00	9 90.00	10	
<b>Total</b>	2	14	16	

Frequency Row Pct	Table of Gender by Otherdrugtime2			
	Gender (Gender)	Otherdrugtime2 (Times Friends Use Other Illegal Drugs)		Total
		.	On Way to School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	



*When do My Friends Use - Percentage of Students who selected the following responses.  
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

Frequency Row Pct	Table of Gender by Otherdrugtime3			
	Gender (Gender)	Otherdrugtime3 (Times Friends Use Other Illegal Drugs)		Total
		.	During School	
Female	6 100.00	0 0.00	6	
Male	10 100.00	0 0.00	10	
<b>Total</b>	16	0	16	

Frequency Row Pct	Table of Gender by Otherdrugtime4			
	Gender (Gender)	Otherdrugtime4 (Times Friends Use Other Illegal Drugs)		Total
		.	On Way Home From School	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Otherdrugtime5			
	Gender (Gender)	Otherdrugtime5 (Times Friends Use Other Illegal Drugs)		Total
		.	Weeknights	
Female	6 100.00	0 0.00	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	15	1	16	

Frequency Row Pct	Table of Gender by Otherdrugtime6			
	Gender (Gender)	Otherdrugtime6 (Times Friends Use Other Illegal Drugs)		Total
		.	Weekends	
Female	5 83.33	1 16.67	6	
Male	9 90.00	1 10.00	10	
<b>Total</b>	14	2	16	

*Other Questions*

Frequency Row Pct	Table of Gender by Educationalcohol			
	Gender (Gender)	Educationalcohol (I have been taught about alcohol, tobacco, and other drugs within the last year at school)		Total
	Yes	No		
	Female	6 100.00	0 0.00	6
	Male	5 50.00	5 50.00	10
	<b>Total</b>	11	5	16

Frequency Row Pct	Table of Gender by Rodedrinking			
	Gender (Gender)	Rodedrinking (In the past 30 days I have ridden in a car with a driver who had been drinking alcohol)		Total
	Yes	No		
	Female	2 33.33	4 66.67	6
	Male	1 10.00	9 90.00	10
	<b>Total</b>	3	13	16

Frequency Row Pct	Table of Gender by Drugsschool			
	Gender (Gender)	Drugsschool (During the past 12 months, I have been offered, sold, or given illegal drugs on school property)		Total
	Yes	No		
	Female	0 0.00	6 100.00	6
	Male	1 10.00	9 90.00	10
	<b>Total</b>	1	15	16

### Other Questions

Frequency Row Pct	Table of Gender by Bingedrinking								
	Gender (Gender)	Bingedrinking (I have drunk five or more drinks of alcohol at one sitting during the last 30 days)						Total	
		0 Days	1 or 2 days	3 to 5 days	6 to 9 days	10 to 19 days	20 to 29 days		All 30 days
	Female	6 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	6
	Male	9 90.00	1 10.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	10
	<b>Total</b>	15	1	0	0	0	0	0	16

Frequency Row Pct	Table of Gender by Educationaids			
	Gender (Gender)	Educationaids (I have been taught about HIV/AIDS at school in the past year)		Total
		Yes	No	
	Female	6 100.00	0 0.00	6
	Male	5 50.00	5 50.00	10
	<b>Total</b>	11	5	16

Frequency Row Pct	Table of Gender by Suicideconsider			
	Gender (Gender)	Suicideconsider		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	0 0.00	10 100.00	10
	<b>Total</b>	0	16	16

*Other Questions*

Frequency Row Pct	Table of Gender by Suicideattempt			
	Gender (Gender)	Suicideattempt (I have attempted suicide in the last year)		Total
		Yes	No	
	Female	0 0.00	6 100.00	6
	Male	0 0.00	10 100.00	10
	<b>Total</b>	0	16	16

Frequency Row Pct	Table of Gender by Adulthood			
	Gender (Gender)	Adulthood (I know an adult at school that I can talk with if I need help)		Total
		Yes	No	
	Female	5 83.33	1 16.67	6
	Male	9 90.00	1 10.00	10
	<b>Total</b>	14	2	16