

Pinevale Learning Center

Results of the Georgia Student Health Survey II

2009-2010

Demographics

| Grade | |
|-------|-----------|
| Grade | Frequency |
| 6 | 1 |
| 8 | 23 |

Frequency
Col Pct

| Table of Gender by Grade | | | | | |
|--------------------------|---------------|-------------|-----------|-----------|-------|
| Gender (Gender) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Female | 1 100.00 | 8 34.78 | 0 0.00 | 0 0.00 | 9 |
| Male | 0 0.00 | 15 65.22 | 0 0.00 | 0 0.00 | 15 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Ethnicity by Grade | | | | | |
|-----------------------------|---------------|-------------|-----------|-----------|-------|
| Ethnicity (Ethnicity) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Black | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 |
| Hispanic | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| White | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| Asian | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Other | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| Total | 1 | 23 | 0 | 0 | 24 |

Title IV, Part A, Schedule A
Goal 1: Ensure that all schools are drug-free
Baseline Data: Year 2009-2010
Prevalence of Drug Use

| Frequency Col Pct | Table of AlcoholAlt by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | AlcoholAlt (Alcohol use, past 30 days) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 | |
| No | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of TobaccoAny by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | TobaccoAny (Tobacco use, past 30 days) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 | |
| No | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of MarijuanaAlt by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | MarijuanaAlt (Marijuana use, past 30 days) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 | |
| No | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of OtherDrugAny by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | OtherDrugAny (Other drug use, past 30 days) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 | |
| No | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

Perception of Health Risk

Frequency
Col Pct

| Table of Alcoholharmdich by Grade | | | | | |
|--|---------------|-------------|-----------|-----------|-------|
| Alcoholharmdich (I think alcohol is harmful) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 |
| No | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Tobaccoharmdich by Grade | | | | | |
|--|---------------|-------------|-----------|-----------|-------|
| Tobaccoharmdich (I think tobacco is harmful) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| No | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Marijuanaharmdich by Grade | | | | | |
|--|---------------|-------------|-----------|-----------|-------|
| Marijuanaharmdich (I think marijuana is harmful) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 12 52.17 | 0 0.00 | 0 0.00 | 13 |
| No | 0 0.00 | 11 47.83 | 0 0.00 | 0 0.00 | 11 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Otherdrugharmdich by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Otherdrugharmdich (I think other drugs are harmful) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 |
| No | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| Total | 1 | 26 | 0 | 0 | 24 |

Title IV, Part A, Schedule A

Goal 2: To help ensure that all schools are safe and disciplined

Baseline Data: Year 2009-2010

Student Involvement in Gang Activity

| Frequency Col Pct | Table of Gangself by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Gangself (I have participated in illegal gang activities in the past 30 days) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 | |
| No | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

Student Perception of School Safety

**Frequency
Row Pct**

| Table of Grade by Safeschool | | | | | |
|-------------------------------------|--|-----------------------|--------------------------|--------------------------|--------------|
| Grade (Grade) | Safeschool (School is a place at which I feel safe) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 0 0.00 | 0 0.00 | 1 20.00 | 0 0.00 | 1 |
| 8 | 4 100.00 | 11 100.00 | 4 80.00 | 4 100.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 4 | 11 | 5 | 4 | 24 |

Students Who Have Been Bullied

**Frequency
Row Pct**

| Table of Grade by Bullied | | | | | | | | |
|----------------------------------|--|--------------------|--------------------|--------------------|----------------------|----------------------|--------------------|--------------|
| Grade (Grade) | Bullied (I have been bullied by other students in the past 30 days) | | | | | | | Total |
| | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | All 30 days | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 19 82.61 | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 4.35 | 2 8.70 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 20 | 0 | 1 | 0 | 0 | 1 | 2 | 24 |

School Climate

| Frequency Col Pct | Table of SchoolClimate1 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate1 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| | Somewhat Agree | 0 0.00 | 10 43.48 | 0 0.00 | 0 0.00 | 10 |
| | Somewhat Disagree | 1 100.00 | 5 21.74 | 0 0.00 | 0 0.00 | 6 |
| | Strongly Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of SchoolClimate2 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate2 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 |
| | Somewhat Agree | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of SchoolClimate3 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate3 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 13 56.52 | 0 0.00 | 0 0.00 | 13 |
| | Somewhat Agree | 1 100.00 | 6 26.09 | 0 0.00 | 0 0.00 | 7 |
| | Somewhat Disagree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Strongly Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 1 | 23 | 0 | 0 | 24 |

School Climate

| Frequency Col Pct | Table of SchoolClimate4 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate4 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 |
| | Somewhat Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of SchoolClimate5 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate5 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of SchoolClimate6 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate6 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 11 47.83 | 0 0.00 | 0 0.00 | 12 |
| | Somewhat Agree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Somewhat Disagree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Strongly Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Total | 1 | 23 | 0 | 0 | 24 |

School Climate

| Frequency Col Pct | Table of SchoolClimate7 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|------------|-----------|-----------|-------|
| | SchoolClimate7 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Somewhat Agree | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| | Somewhat Disagree | 1 100.00 | 7 30.43 | 0 0.00 | 0 0.00 | 8 |
| | Strongly Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of SchoolClimate8 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|------------|-----------|-----------|-------|
| | SchoolClimate8 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 7 30.43 | 0 0.00 | 0 0.00 | 8 |
| | Somewhat Agree | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| | Somewhat Disagree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Strongly Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of SchoolClimate9 by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | SchoolClimate9 (I like school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 |
| | Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Disagree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Strongly Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Reasons for Dropping Out

| Frequency Col Pct | Table of Dropoutreason by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Dropoutreason (If I dropped out the reason would most likely be...) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Won't Drop out | 0 0.00 | 12 52.17 | 0 0.00 | 0 0.00 | 12 |
| | Bored | 1 100.00 | 2 8.70 | 0 0.00 | 0 0.00 | 3 |
| | Family Reasons | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Being Bullied | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Other | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Dropout by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Dropout(I have thought about dropping out of school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 1 100.00 | 10 43.48 | 0 0.00 | 0 0.00 | 11 |
| | No | 0 0.00 | 13 56.52 | 0 0.00 | 0 0.00 | 13 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Safe and Disciplined

Frequency
Col Pct

| Table of Gangself by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Gangself (I have participated in illegal gang activities in the past 30 days) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| No | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Gangpeers by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Gangpeers (I have friends who have participated in illegal gang activities in the past 30 days) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 |
| No | 0 0.00 | 10 43.48 | 0 0.00 | 0 0.00 | 10 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Safeschool by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Safeschool (School is a place at which I feel safe) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Strongly Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| Somewhat Agree | 0 0.00 | 11 47.83 | 0 0.00 | 0 0.00 | 11 |
| Somewhat Disagree | 1 100.00 | 4 17.39 | 0 0.00 | 0 0.00 | 5 |
| Strongly Disagree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| Total | 1 | 23 | 0 | 0 | 24 |

Safe and Disciplined

| Frequency Col Pct | Table of Pickedon by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Pickedon (I have been picked on or teased at school in the past 30 days) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Row Pct | Table of Grade by Bullied | | | | | | | | |
|----------------------|---------------------------|---|-------------|-------------|-------------|---------------|---------------|-----------|-------------|
| | Grade (Grade) | Bullied (I have been bullied by other students in the past 30 days) | | | | | | Total | |
| | | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | | All 30 days |
| | 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| | 8 | 19 82.61 | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 4.35 | 2 8.70 | 23 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 20 | 0 | 1 | 0 | 0 | 1 | 2 | 24 |

| Frequency Row Pct | Table of Grade by Bulliedothers | | | | | | | | |
|----------------------|---------------------------------|--|-------------|-------------|-------------|---------------|---------------|-----------|-------------|
| | Grade (Grade) | Bulliedothers (I bullied others in the past 30 days) | | | | | | Total | |
| | | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | | All 30 days |
| | 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| | 8 | 16 69.57 | 2 8.70 | 2 8.70 | 0 0.00 | 0 0.00 | 1 4.35 | 2 8.70 | 23 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 17 | 2 | 2 | 0 | 0 | 1 | 2 | 24 |

Safe and Disciplined

Frequency
Row Pct

| Table of Grade by Weaponschool | | | | | | | | |
|--------------------------------|---|-------------|-------------|-------------|---------------|---------------|-------------|-------|
| Grade (Grade) | Weaponschool (I brought a weapon to school in the past 30 days) | | | | | | | Total |
| | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | All 30 days | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 20 86.96 | 3 13.04 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 21 | 3 | 0 | 0 | 0 | 0 | 0 | 24 |

Frequency
Row Pct

| Table of Grade by Absentunsafe | | | | | | | | |
|--------------------------------|---|-------------|-------------|-------------|---------------|---------------|-------------|-------|
| Grade (Grade) | Absentunsafe (I have missed school because I felt unsafe in the past 30 days) | | | | | | | Total |
| | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | All 30 days | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 20 86.96 | 1 4.35 | 0 0.00 | 0 0.00 | 0 0.00 | 1 4.35 | 1 4.35 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 21 | 1 | 0 | 0 | 0 | 1 | 1 | 24 |

Drug Use During Last 30 Days

Frequency
Row Pct

| Table of Grade by Alcohol | | | | | | | | |
|---------------------------|-------------------------------------|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Alcohol (Alcohol use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 15 65.22 | 2 8.70 | 2 8.70 | 2 8.70 | 1 4.35 | 0 0.00 | 1 4.35 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 16 | 2 | 2 | 2 | 1 | 0 | 1 | 24 |

Frequency
Row Pct

| Table of Grade by Cigarettes | | | | | | | | |
|------------------------------|--|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Cigarettes (Smoking tobacco use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 19 82.61 | 2 8.70 | 0 0.00 | 0 0.00 | 1 4.35 | 0 0.00 | 1 4.35 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 20 | 2 | 0 | 0 | 1 | 0 | 1 | 24 |

Frequency
Row Pct

| Table of Grade by Smokeless | | | | | | | | |
|-----------------------------|---|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Smokeless (Chewing tobacco use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 23 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |

Drug Use During Last 30 Days

Frequency
Row Pct

| Table of Grade by Marijuana | | | | | | | | |
|-----------------------------|---|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Marijuana (Marijuana use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 15 65.22 | 2 8.70 | 0 0.00 | 1 4.35 | 2 8.70 | 1 4.35 | 2 8.70 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 16 | 2 | 0 | 1 | 2 | 1 | 2 | 24 |

Frequency
Row Pct

| Table of Grade by Cocaine | | | | | | | | |
|---------------------------|-------------------------------------|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Cocaine (Cocaine use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 22 95.65 | 0 0.00 | 0 0.00 | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 23 | 0 | 0 | 0 | 1 | 0 | 0 | 24 |

Frequency
Row Pct

| Table of Grade by Inhalants | | | | | | | | |
|-----------------------------|---|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Inhalants (Inhalants use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 21 91.30 | 2 8.70 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 22 | 2 | 0 | 0 | 0 | 0 | 0 | 24 |

Drug Use During Last 30 Days

Frequency
Row Pct

| Table of Grade by Steroids | | | | | | | | |
|----------------------------|---------------------------------------|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Steroids (Steroids use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 22 95.65 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 4.35 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 23 | 0 | 0 | 0 | 0 | 0 | 1 | 24 |

Frequency
Row Pct

| Table of Grade by Ecstasy | | | | | | | | |
|---------------------------|-------------------------------------|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Ecstasy (Ecstasy use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 21 91.30 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 4.35 | 1 4.35 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 22 | 0 | 0 | 0 | 0 | 1 | 1 | 24 |

Frequency
Row Pct

| Table of Grade by Meth | | | | | | | | |
|------------------------|--|-----------|-----------|-----------|------------|------------|-----------|-------|
| Grade (Grade) | Meth (Methamphetamine use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 22 95.65 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 4.35 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 23 | 0 | 0 | 0 | 0 | 0 | 1 | 24 |

Drug Use During Last 30 Days

**Frequency
Row Pct**

| Table of Grade by Hallucinogens | | | | | | | | |
|--|--|-----------------|-----------------|-----------------|-------------------|-------------------|------------------|--------------|
| Grade (Grade) | Hallucinogens (Hallucinogens use, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 23 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |

**Frequency
Row Pct**

| Table of Grade by Prescription | | | | | | | | |
|---------------------------------------|---|-----------------|-----------------|-----------------|-------------------|-------------------|------------------|--------------|
| Grade (Grade) | Prescription (Prescription drugs not prescribed to me, past 30 days) | | | | | | | Total |
| | Did not use | 1-2 days | 3-5 days | 6-9 days | 10-19 days | 20-29 days | Every day | |
| 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 22 95.65 | 0 0.00 | 0 0.00 | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 23 | 0 | 0 | 0 | 1 | 0 | 0 | 24 |

How Easy Is It to Get the Following

| Frequency Col Pct | Table of Alcholease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Alcholease (It is easy to get alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| | Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 1 100.00 | 11 47.83 | 0 0.00 | 0 0.00 | 12 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Cigarettesease by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Cigarettesease (It is easy to get smoking tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Smokelessease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Smokelessease (It is easy to get chewing tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 |
| | Total | 1 | 23 | 0 | 0 | 24 |

How Easy Is It to Get the Following

| Frequency Col Pct | Table of Marijuanaease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Marijuanaease (It is easy to get marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| | Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 1 100.00 | 10 43.48 | 0 0.00 | 0 0.00 | 11 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Cocainease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Cocainease (It is easy to get cocaine) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Inhalantsease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Inhalantsease (It is easy to get inhalants) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Strongly Disagree | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 |
| | Total | 1 | 23 | 0 | 0 | 24 |

How Easy Is It to Get the Following

| Frequency Col Pct | Table of Steroidsease by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Steroidsease (It is easy to get steroids) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Ecstasyease by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Ecstasyease (It is easy to get ecstasy) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Methesease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Methesease (It is easy to get methamphetamines) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 1 100.00 | 18 78.26 | 0 0.00 | 0 0.00 | 19 |
| | Total | 1 | 23 | 0 | 0 | 24 |

How Easy Is It to Get the Following

| Frequency Col Pct | Table of Hallucinogensease by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Hallucinogensease (It is easy to get hallucinogens) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Prescriptionease by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Prescriptionease (It is easy to get prescription drugs not prescribed to me) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 1 100.00 | 18 78.26 | 0 0.00 | 0 0.00 | 19 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Age at Onset of Use Results for "Age at Onset of Use"
questions exclude students who said they did not use that substance

**Frequency
Row Pct**

| Table of Grade by Alcoholinit | | | | | | | | | | | | |
|--------------------------------------|---|-----------|-----------|------------|------------|------------|------------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Alcoholinit (I started using alcohol when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 1 11.11 | 0 0.00 | 0 0.00 | 1 11.11 | 2 22.22 | 2 22.22 | 3 33.33 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 9 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 1 | 0 | 0 | 1 | 2 | 2 | 3 | 0 | 0 | 0 | 0 | 9 |
| Frequency Missing = 15 | | | | | | | | | | | | |

**Frequency
Row Pct**

| Table of Grade by Cigarettesinit | | | | | | | | | | | | |
|---|--|-----------|-----------|------------|-----------|------------|------------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Cigarettesinit (I started smoking tobacco when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 1 16.67 | 0 0.00 | 3 50.00 | 2 33.33 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 6 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 0 | 0 | 0 | 0 | 6 |
| Frequency Missing = 18 | | | | | | | | | | | | |

Age at Onset of Use Results for "Age at Onset of Use"
questions exclude students who said they did not use that substance

**Frequency
Row Pct**

| Table of Grade by Smokelessnit | | | | | | | | | | | | |
|---------------------------------------|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Smokelessnit (I started chewing tobacco when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | | | | | | |

**Frequency
Row Pct**

| Table of Grade by Marijuanainit | | | | | | | | | | | | |
|--|---|-----------|-----------|------------|-----------|------------|------------|------------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Marijuanainit (I started using marijuana when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 2 18.18 | 0 0.00 | 0 0.00 | 2 18.18 | 0 0.00 | 3 27.27 | 2 18.18 | 2 18.18 | 0 0.00 | 0 0.00 | 0 0.00 | 11 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 2 | 0 | 0 | 2 | 0 | 3 | 2 | 2 | 0 | 0 | 0 | 11 |
| Frequency Missing = 13 | | | | | | | | | | | | |

Age at Onset of Use Results for "Age at Onset of Use"
questions exclude students who said they did not use that substance

**Frequency
Row Pct**

| Table of Grade by Cocaineinit | | | | | | | | | | | | |
|--------------------------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Cocaineinit (I started using cocaine when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | | | | | | |

**Frequency
Row Pct**

| Table of Grade by Inhalantsinit | | | | | | | | | | | | |
|--|---|-----------|-----------|-----------|-----------|-----------|-----------------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Inhalantsinit (I started using inhalants when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 100.0 0 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Frequency Missing = 23 | | | | | | | | | | | | |

Age at Onset of Use Results for "Age at Onset of Use"
questions exclude students who said they did not use that substance

Frequency
Row Pct

| Table of Grade by Steroidsinit | | | | | | | | | | | | |
|--------------------------------|--|-----------|-----------|-----------|-----------|-----------|-------------|-----------|-----------|-----------|-------------|-----------|
| Grade (Grade) | Steroidsinit (I started using steroids when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Frequency Missing = 23 | | | | | | | | | | | | |

Frequency
Row Pct

| Table of Grade by Ecstasyinit | | | | | | | | | | | | |
|-------------------------------|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|
| Grade (Grade) | Ecstasyinit (I started using ecstasy when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | | | | | | |

Age at Onset of Use Results for "Age at Onset of Use"
questions exclude students who said they did not use that substance

**Frequency
Row Pct**

| Table of Grade by Methinit | | | | | | | | | | | | |
|-----------------------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Methinit (I started using methamphetamines when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | | | | | | |

**Frequency
Row Pct**

| Table of Grade by Hallucinogensinit | | | | | | | | | | | | |
|--|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|--------------|
| Grade (Grade) | Hallucinogensinit (I started using hallucinogens when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | | | | | | |

Age at Onset of Use Results for "Age at Onset of Use"
questions exclude students who said they did not use that substance

Frequency
Row Pct

| Table of Grade by Prescriptioninit | | | | | | | | | | | | |
|------------------------------------|---|-----------|-----------|-----------|-----------|------------|------------|-----------|-----------|-----------|-------------|-----------|
| Grade (Grade) | Prescriptioninit (I started using prescription drugs not prescribed to me when I was) | | | | | | | | | | | Total |
| | 8 or younger | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 or older | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 50.00 | 1 50.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 2 0.00 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 |
| Total | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 |
| Frequency Missing = 22 | | | | | | | | | | | | |

Perception of Harmfulness

| Frequency Col Pct | Table of Alcoholharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Alcoholharm (I think alcohol is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 11 47.83 | 0 0.00 | 0 0.00 | 12 |
| | Somewhat Agree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Cigarettesharm by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Cigarettesharm (I think smoking tobacco is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 12 52.17 | 0 0.00 | 0 0.00 | 13 |
| | Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Smokelessharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Smokelessharm (I think chewing tobacco is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Perception of Harmfulness

| Frequency Col Pct | Table of Marijuanaharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Marijuanaharm (I think marijuana is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 10 43.48 | 0 0.00 | 0 0.00 | 11 |
| | Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of CocaineHarm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | CocaineHarm (I think cocaine is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Inhalantsharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Inhalantsharm (I think inhalants is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Somewhat Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Perception of Harmfulness

| Frequency Col Pct | Table of Steroidsharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Steroidsharm (I think steroids is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 |
| | Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Ecstasyharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Ecstasyharm (I think ecstasy is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Strongly Disagree | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Methharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Methharm (I think methamphetamines is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Perception of Harmfulness

| Frequency Col Pct | Table of Hallucinogensharm by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Hallucinogensharm (I think hallucinogens is harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Prescriptionharm by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Prescriptionharm (I think prescription drugs not prescribed to me are harmful) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Disapproval by Adults

| Frequency Col Pct | Table of Alcoholadult by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Alcoholadult (Adults would disapprove if I used alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 |
| | Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Tobaccoadult by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Tobaccoadult (Adults would disapprove if I used tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Strongly Disagree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Marijuanaadult by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Marijuanaadult (Adults would disapprove if I used marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 |
| | Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Strongly Disagree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Disapproval by Adults

Frequency
Col Pct

| Table of Otherdrugadult by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Otherdrugadult (Adults would disapprove if I used other drugs) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Strongly Agree | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 |
| Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| Somewhat Disagree | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| Strongly Disagree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| Total | 1 | 23 | 0 | 0 | 24 |

Disapproval by Peers

Frequency
Col Pct

| Table of Alcoholpeer by Grade | | | | | |
|---|---------------|------------|-----------|-----------|-------|
| Alcoholpeer (My friends would disapprove if I used alcohol) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Strongly Agree | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| Somewhat Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| Strongly Disagree | 1 100.00 | 7 30.43 | 0 0.00 | 0 0.00 | 8 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Tobaccopeer by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Tobaccopeer (My friends would disapprove if I used tobacco) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Strongly Agree | 0 0.00 | 11 47.83 | 0 0.00 | 0 0.00 | 11 |
| Somewhat Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| Somewhat Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| Strongly Disagree | 1 100.00 | 6 26.09 | 0 0.00 | 0 0.00 | 7 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Marijuanapeer by Grade | | | | | |
|---|---------------|------------|-----------|-----------|-------|
| Marijuanapeer (My friends would disapprove if I used marijuana) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Strongly Agree | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| Somewhat Agree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| Somewhat Disagree | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| Strongly Disagree | 1 100.00 | 8 34.78 | 0 0.00 | 0 0.00 | 9 |
| Total | 1 | 23 | 0 | 0 | 24 |

Disapproval by Peers

Frequency
Col Pct

| Table of Otherdrugpeer by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Otherdrugpeer (My friends would disapprove if I used other drugs) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Strongly Agree | 0 0.00 | 13 56.52 | 0 0.00 | 0 0.00 | 13 |
| Somewhat Agree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| Strongly Disagree | 1 100.00 | 5 21.74 | 0 0.00 | 0 0.00 | 6 |
| Total | 1 | 23 | 0 | 0 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Alcohollocation1 by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Alcohollocation1 (Places Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 | |
| | Do Not Use | 0 0.00 | 10 43.48 | 0 0.00 | 0 0.00 | 10 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Alcohollocation2 by Grade | | | | | |
|----------------------|--|---------------|------------|-----------|-----------|-------|
| | Alcohollocation2 (Places Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 | |
| | Home | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Alcohollocation3 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|-----------|-------|
| | Alcohollocation3 (Places Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 22 95.65 | 0 0.00 | 0 0.00 | 23 | |
| | School | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Alcohollocation4 by Grade | | | | | |
|----------------------|--|---------------|------------|-----------|-----------|-------|
| | Alcohollocation4 (Places Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 | |
| | Car | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Total | 1 | 23 | 0 | 0 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Alcohollocation5 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Alcohollocation5 (Places Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 16 69.57 | 0 0.00 | 0 0.00 | 16 | |
| Friend's House | 1 100.00 | 7 30.43 | 0 0.00 | 0 0.00 | 8 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Alcohollocation6 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Alcohollocation6 (Places Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 | |
| Other | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccolocation1 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Tobaccolocation1 (Places Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 8 34.78 | 0 0.00 | 0 0.00 | 9 | |
| Do Not Use | 0 0.00 | 15 65.22 | 0 0.00 | 0 0.00 | 15 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccolocation2 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Tobaccolocation2 (Places Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 18 78.26 | 0 0.00 | 0 0.00 | 19 | |
| Do Not Use | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Tobaccolocation3 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Tobaccolocation3 (Places Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 23 100.00 | 0 0.00 | 0 0.00 | 24 | |
| School | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccolocation4 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Tobaccolocation4 (Places Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 | |
| Car | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccolocation5 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Tobaccolocation5 (Places Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 19 82.61 | 0 0.00 | 0 0.00 | 19 | |
| Friend's House | 1 100.00 | 4 17.39 | 0 0.00 | 0 0.00 | 5 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccolocation6 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Tobaccolocation6 (Places Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 | |
| Other | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Marijuanalocation1 by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Marijuanalocation1 (Places Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 |
| | Do Not Use | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Marijuanalocation2 by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Marijuanalocation2 (Places Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 |
| | Home | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Marijuanalocation3 by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Marijuanalocation3 (Places Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 |
| | School | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Marijuanalocation4 by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Marijuanalocation4 (Places Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 |
| | Car | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| | Total | 1 | 23 | 0 | 0 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Marijuanalocation5 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|-----------|-------|
| | Marijuanalocation5 (Places Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 14 60.87 | 0 0.00 | 0 0.00 | 14 | |
| | Friend's House | 1 100.00 | 9 39.13 | 0 0.00 | 0 0.00 | 10 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Marijuanalocation6 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|-----------|-------|
| | Marijuanalocation6 (Places Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 | |
| | Other | 0 0.00 | 8 34.78 | 0 0.00 | 0 0.00 | 8 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Otherdruglocation1 by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Otherdruglocation1 (Places Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 4 17.39 | 0 0.00 | 0 0.00 | 5 | |
| | Do Not Use | 0 0.00 | 19 82.61 | 0 0.00 | 0 0.00 | 19 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Otherdruglocation2 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|-----------|-------|
| | Otherdruglocation2 (Places Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| | Home | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| | Total | 1 | 23 | 0 | 0 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Otherdruglocation3 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Otherdruglocation3 (Places Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 23 100.00 | 0 0.00 | 0 0.00 | 24 | |
| School | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdruglocation4 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Otherdruglocation4 (Places Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| Car | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdruglocation5 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Otherdruglocation5 (Places Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 | |
| Friend's House | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdruglocation6 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Otherdruglocation6 (Places Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 21 91.30 | 0 0.00 | 0 0.00 | 21 | |
| Other | 1 100.00 | 2 8.70 | 0 0.00 | 0 0.00 | 3 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Alcoholtime1 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|----|-------|
| | Alcoholtime1 (Times Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 | |
| | Do Not Use | 0 0.00 | 9 39.13 | 0 0.00 | 9 | |
| | Total | 1 | 23 | 0 | 24 | |

| Frequency Col Pct | Table of Alcoholtime2 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Alcoholtime2 (Times Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 22 95.65 | 0 0.00 | 0 0.00 | 23 | |
| | On Way to School | 0 0.00 | 1 4.35 | 0 0.00 | 1 | |
| | Total | 1 | 23 | 0 | 24 | |

| Frequency Col Pct | Table of Alcoholtime3 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Alcoholtime3 (Times Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| | During School | 0 0.00 | 2 8.70 | 0 0.00 | 2 | |
| | Total | 1 | 23 | 0 | 24 | |

| Frequency Col Pct | Table of Alcoholtime4 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|----|-------|
| | Alcoholtime4 (Times Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 | |
| | On Way Home From School | 0 0.00 | 4 17.39 | 0 0.00 | 4 | |
| | Total | 1 | 23 | 0 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Alcoholtime5 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Alcoholtime5 (Times Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 | |
| Weeknights | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Alcoholtime6 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Alcoholtime6 (Times Friends Use Alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 12 52.17 | 0 0.00 | 0 0.00 | 12 | |
| Weekends | 1 100.00 | 11 47.83 | 0 0.00 | 0 0.00 | 12 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccotime1 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Tobaccotime1 (Times Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 6 26.09 | 0 0.00 | 0 0.00 | 7 | |
| Do Not Use | 0 0.00 | 17 73.91 | 0 0.00 | 0 0.00 | 17 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccotime2 by Grade | | | | | |
|-------------------------|---|---------------|-----------|-----------|----|-------|
| | Tobaccotime2 (Times Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| On Way to School | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Tobaccotime3 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Tobaccotime3 (Times Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 23 100.00 | 0 0.00 | 0 0.00 | 24 | |
| During School | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccotime4 by Grade | | | | | |
|------------------------------------|---|---------------|-----------|-----------|----|-------|
| | Tobaccotime4 (Times Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 | |
| On Way Home From School | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccotime5 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Tobaccotime5 (Times Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 | |
| Weeknights | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Tobaccotime6 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Tobaccotime6 (Times Friends Use Tobacco) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 18 78.26 | 0 0.00 | 0 0.00 | 18 | |
| Weekends | 1 100.00 | 5 21.74 | 0 0.00 | 0 0.00 | 6 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

When do My Friends Use - Percentage of Students who selected the following responses.

Students could select more than 1 response so the percentage for each substance will not add up to 100%.

| Frequency Col Pct | Table of Marijuanatime1 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|----|-------|
| | Marijuanatime1 (Times Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 | |
| | Do Not Use | 0 0.00 | 9 39.13 | 0 0.00 | 9 | |
| | Total | 1 | 23 | 0 | 24 | |

| Frequency Col Pct | Table of Marijuanatime2 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|----|-------|
| | Marijuanatime2 (Times Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 | |
| | On Way to School | 0 0.00 | 6 26.09 | 0 0.00 | 6 | |
| | Total | 1 | 23 | 0 | 24 | |

| Frequency Col Pct | Table of Marijuanatime3 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Marijuanatime3 (Times Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| | During School | 0 0.00 | 2 8.70 | 0 0.00 | 2 | |
| | Total | 1 | 23 | 0 | 24 | |

| Frequency Col Pct | Table of Marijuanatime4 by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|----|-------|
| | Marijuanatime4 (Times Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 15 65.22 | 0 0.00 | 0 0.00 | 16 | |
| | On Way Home From School | 0 0.00 | 8 34.78 | 0 0.00 | 8 | |
| | Total | 1 | 23 | 0 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Marijuanatime5 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Marijuanatime5 (Times Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 | |
| Weeknights | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Marijuanatime6 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Marijuanatime6 (Times Friends Use Marijuana) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 10 43.48 | 0 0.00 | 0 0.00 | 10 | |
| Weekends | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdrugtime1 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Otherdrugtime1 (Times Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 3 13.04 | 0 0.00 | 0 0.00 | 4 | |
| Do Not Use | 0 0.00 | 20 86.96 | 0 0.00 | 0 0.00 | 20 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdrugtime2 by Grade | | | | | |
|-------------------------|--|---------------|-----------|-----------|----|-------|
| | Otherdrugtime2 (Times Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 22 95.65 | 0 0.00 | 0 0.00 | 23 | |
| On Way to School | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Col Pct | Table of Otherdrugtime3 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Otherdrugtime3 (Times Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 22 95.65 | 0 0.00 | 0 0.00 | 23 | |
| During School | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdrugtime4 by Grade | | | | | |
|------------------------------------|--|---------------|-----------|-----------|----|-------|
| | Otherdrugtime4 (Times Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 22 95.65 | 0 0.00 | 0 0.00 | 23 | |
| On Way Home From School | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdrugtime5 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Otherdrugtime5 (Times Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 1 100.00 | 22 95.65 | 0 0.00 | 0 0.00 | 23 | |
| Weeknights | 0 0.00 | 1 4.35 | 0 0.00 | 0 0.00 | 1 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Otherdrugtime6 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Otherdrugtime6 (Times Friends Use Other Illegal Drugs) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| . | 0 0.00 | 21 91.30 | 0 0.00 | 0 0.00 | 21 | |
| Weekends | 1 100.00 | 2 8.70 | 0 0.00 | 0 0.00 | 3 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

Other Questions

| Frequency Col Pct | Table of Educationalcohol by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Educationalcohol (I have been taught about alcohol, tobacco, and other drugs within the last year at school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 |
| | No | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Eversmoked by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Eversmoked (I have smoked a cigarette) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 1 100.00 | 13 56.52 | 0 0.00 | 0 0.00 | 14 |
| | No | 0 0.00 | 10 43.48 | 0 0.00 | 0 0.00 | 10 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Drovedrinking by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|-----------|-------|
| | Drovedrinking (In the past 30 days I have driven a car or other vehicle while I was drinking alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | No | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 0 | 0 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Rodedrinking by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Rodedrinking (In the past 30 days I have ridden in a car with a driver who had been drinking alcohol) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| | No | 1 100.00 | 14 60.87 | 0 0.00 | 0 0.00 | 15 |
| | Total | 1 | 23 | 0 | 0 | 24 |

Other Questions

| Frequency Col Pct | Table of Drugsschool by Grade | | | | | |
|----------------------|---|---------------|-------------|-----------|-----------|-------|
| | Drugsschool (During the past 12 months, I have been offered, sold, or given illegal drugs on school property) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 |
| | No | 1 100.00 | 17 73.91 | 0 0.00 | 0 0.00 | 18 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Helpbullied by Grade | | | | | |
|----------------------|---|---------------|------------|-----------|-----------|-------|
| | Helpbullied (I would help someone who was being bullied) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 0 0.00 | 9 39.13 | 0 0.00 | 0 0.00 | 9 |
| | Somewhat Agree | 0 0.00 | 7 30.43 | 0 0.00 | 0 0.00 | 7 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 1 100.00 | 4 17.39 | 0 0.00 | 0 0.00 | 5 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Row Pct | Table of Grade by Bingedrinking | | | | | | | |
|----------------------|---------------------------------|---|----------------|----------------|----------------|------------------|------------------|-------|
| | Grade (Grade) | Bingedrinking (I have drunk five or more drinks of alcohol at one sitting during the last 30 days) | | | | | | Total |
| | | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | |
| | 6 | 1 100.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| | 8 | 17 73.91 | 1 4.35 | 3 13.04 | 0 0.00 | 0 0.00 | 0 0.00 | 23 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 18 | 1 | 3 | 0 | 0 | 2 | 24 |

Nutrition

Frequency
Row Pct

| Table of Grade by Dairy | | | | | |
|-------------------------|--|----------------|-------------------|-------------------|-------|
| Grade (Grade) | Dairy (I eat at least 3 servings of dairy products each day) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 1 50.00 | 1 |
| 8 | 11 100.00 | 8 100.00 | 3 100.00 | 1 50.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 11 | 8 | 3 | 2 | 24 |

Frequency
Row Pct

| Table of Grade by Fruitveg | | | | | |
|----------------------------|--|----------------|-------------------|-------------------|-------|
| Grade (Grade) | Fruitveg (I eat at least 5 servings of fruits and vegetables each day) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 1 33.33 | 1 |
| 8 | 10 100.00 | 8 100.00 | 3 100.00 | 2 66.67 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 10 | 8 | 3 | 3 | 24 |

Frequency
Row Pct

| Table of Grade by Cafeteriahealthy | | | | | |
|------------------------------------|--|----------------|-------------------|-------------------|-------|
| Grade (Grade) | Cafeteriahealthy (School meals in my school cafeteria are healthy) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 1 16.67 | 1 |
| 8 | 4 100.00 | 10 100.00 | 4 100.00 | 5 83.33 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 4 | 10 | 4 | 6 | 24 |

Nutrition

| Frequency Row Pct | Table of Grade by Cafeterianutrition | | | | | |
|----------------------|--------------------------------------|---|----------------|-------------------|-------------|-------------------|
| | Grade (Grade) | Cafeterianutrition (Facts about nutrition are available in my school cafeteria) | | | Total | |
| | | Strongly Agree | Somewhat Agree | Somewhat Disagree | | Strongly Disagree |
| | 6 | 1 7.69 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| | 8 | 12 92.31 | 6 100.00 | 2 100.00 | 3 100.00 | 23 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 13 | 6 | 2 | 3 | 24 |

| Frequency Row Pct | Table of Grade by Schoollunch | | | | | |
|----------------------|-------------------------------|--|----------------|-------------------|------------|-------------------|
| | Grade (Grade) | Schoollunch (I eat at least 3 servings of dairy products each day) | | | Total | |
| | | Strongly Agree | Somewhat Agree | Somewhat Disagree | | Strongly Disagree |
| | 6 | 0 0.00 | 0 0.00 | 0 0.00 | 1 20.00 | 1 |
| | 8 | 10 100.00 | 8 100.00 | 1 100.00 | 4 80.00 | 23 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 10 | 8 | 1 | 5 | 24 |

| Frequency Row Pct | Table of Grade by Foodchoices | | | | | |
|----------------------|-------------------------------|--|----------------|-------------------|------------|-------------------|
| | Grade (Grade) | Foodchoices (I make healthy food choices in my school cafeteria) | | | Total | |
| | | Strongly Agree | Somewhat Agree | Somewhat Disagree | | Strongly Disagree |
| | 6 | 0 0.00 | 0 0.00 | 0 0.00 | 1 16.67 | 1 |
| | 8 | 10 100.00 | 3 100.00 | 5 100.00 | 5 83.33 | 23 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 10 | 3 | 5 | 6 | 24 |

Nutrition

Frequency
Row Pct

| Table of Grade by Wholewheat | | | | | |
|------------------------------|---|----------------|-------------------|-------------------|-------|
| Grade (Grade) | Wholewheat (There are whole wheat and multigrain breads and cereals available in my school cafeteria) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 0 0.00 | 0 0.00 | 1 10.00 | 0 0.00 | 1 |
| 8 | 6 100.00 | 0 0.00 | 9 90.00 | 8 100.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 6 | 0 | 10 | 8 | 24 |

Frequency
Row Pct

| Table of Grade by Healthyvending | | | | | |
|----------------------------------|---|----------------|-------------------|-------------------|-------|
| Grade (Grade) | Healthyvending (If only healthy snacks and beverages were available in the vending machines during the school day,I would buy them) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 1 7.14 | 0 0.00 | 0 0.00 | 0 0.00 | 1 |
| 8 | 13 92.86 | 4 100.00 | 4 100.00 | 2 100.00 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 14 | 4 | 4 | 2 | 24 |

Frequency
Row Pct

| Table of Grade by Schoolbreakfast | | | | | |
|-----------------------------------|--|----------------|-------------------|-------------------|-------|
| Grade (Grade) | Schoolbreakfast (If breakfast were available at school, but outside the cafeteria, I would eat breakfast at school more often) | | | | Total |
| | Strongly Agree | Somewhat Agree | Somewhat Disagree | Strongly Disagree | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 1 16.67 | 1 |
| 8 | 12 100.00 | 2 100.00 | 4 100.00 | 5 83.33 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 12 | 2 | 4 | 6 | 24 |

Other Questions

| Frequency Col Pct | Table of Educationaids by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Educationaids (I have been taught about HIV/AIDS at school in the past year) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 | |
| No | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Educationcharacter by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Educationcharacter (I have been taught about character education in the past year at school) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 | |
| No | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Gradcoach1 by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Gradcoach1 (I know who my Graduation Coach is) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 | |
| No | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Gradcoach2 by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Gradcoach2 (I have contacted my Graduation Coach) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 | |
| No | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

Other Questions

Frequency
Col Pct

| Table of Gradcoach3 by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Gradcoach3 (I have received assistance from my GraduationCoach) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| No | 1 100.00 | 7 30.43 | 0 0.00 | 0 0.00 | 8 |
| No | 0 0.00 | 14 60.87 | 0 0.00 | 0 0.00 | 14 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Selfharm by Grade | | | | | |
|---|---------------|-------------|-----------|-----------|-------|
| Selfharm (During the past 12 months, I harmed myself on purpose Suicide consider During the past 12 months, I seriously considered suicide) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| No | 1 100.00 | 20 86.96 | 0 0.00 | 0 0.00 | 21 |
| Total | 1 | 23 | 0 | 0 | 24 |

Frequency
Col Pct

| Table of Suicideconsider by Grade | | | | | |
|--|---------------|-------------|-----------|-----------|-------|
| Suicideconsider (Suicide consider During the past 12 months, I seriously considered suicide) | Grade (Grade) | | | | Total |
| | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 |
| No | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 |
| Total | 1 | 23 | 0 | 0 | 24 |

Other Questions

| Frequency Col Pct | Table of Suicideattempt by Grade | | | | | |
|----------------------|--|---------------|-----------|-----------|----|-------|
| | Suicideattempt (I have attempted suicide in the last year) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 | |
| No | 1 100.00 | 21 91.30 | 0 0.00 | 0 0.00 | 22 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Instantmessed by Grade | | | | | |
|----------------------|---|---------------|-----------|-----------|----|-------|
| | Instantmessed (I have instant messed people I do not even know) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Yes | 1 100.00 | 9 39.13 | 0 0.00 | 0 0.00 | 10 | |
| No | 0 0.00 | 14 60.87 | 0 0.00 | 0 0.00 | 14 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

| Frequency Col Pct | Table of Getsalong by Grade | | | | | |
|--------------------------|--|---------------|-----------|-----------|----|-------|
| | Getsalong (I get along with other students and adults) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| Strongly Agree | 1 100.00 | 10 43.48 | 0 0.00 | 0 0.00 | 11 | |
| Somewhat Agree | 0 0.00 | 6 26.09 | 0 0.00 | 0 0.00 | 6 | |
| Somewhat Disagree | 0 0.00 | 5 21.74 | 0 0.00 | 0 0.00 | 5 | |
| Strongly Disagree | 0 0.00 | 2 8.70 | 0 0.00 | 0 0.00 | 2 | |
| Total | 1 | 23 | 0 | 0 | 24 | |

Other Questions

| Frequency Col Pct | Table of Safehome by Grade | | | | | |
|----------------------|-----------------------------------|---------------|-------------|-----------|-----------|-------|
| | Safehome (I feel safe at home) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Strongly Agree | 1 100.00 | 16 69.57 | 0 0.00 | 0 0.00 | 17 |
| | Somewhat Agree | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Somewhat Disagree | 0 0.00 | 3 13.04 | 0 0.00 | 0 0.00 | 3 |
| | Strongly Disagree | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Col Pct | Table of Adulttalk by Grade | | | | | |
|----------------------|--|---------------|-------------|-----------|-----------|-------|
| | Adulttalk (I know an adult at school that I can talk with if I need help) | Grade (Grade) | | | | Total |
| | | 6 | 8 | 10 | 12 | |
| | Yes | 1 100.00 | 19 82.61 | 0 0.00 | 0 0.00 | 20 |
| | No | 0 0.00 | 4 17.39 | 0 0.00 | 0 0.00 | 4 |
| | Total | 1 | 23 | 0 | 0 | 24 |

| Frequency Row Pct | Table of Grade by Tvtime | | | | | | |
|----------------------|--------------------------|---|----------------------------|---------------|----------------------|----------------------|-------------|
| | Grade (Grade) | Tvtime (On an average school day, how much unsupervised time do I spend watching TV) | | | | | Total |
| | | None | Less than 1 hour/day | 1 hour/day | 2-3 hours/da y | 4-5 hours/da y | |
| | 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 100.00 |
| | 8 | 5 21.74 | 2 8.70 | 1 4.35 | 5 21.74 | 1 4.35 | 9 39.13 |
| | 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| | Total | 5 | 2 | 1 | 5 | 1 | 10 |

Other Questions

Frequency
Row Pct

| Table of Grade by Computertime | | | | | | | |
|--------------------------------|--|----------------------|------------|---------------|---------------|--------------|-------|
| Grade (Grade) | Computertime (On an average school day, how much unsupervised time do I spend on the computer) | | | | | | Total |
| | None | Less than 1 hour/day | 1 hour/day | 2-3 hours/day | 4-5 hours/day | 6+ hours/day | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 1 100.00 | 0 0.00 | 1 |
| 8 | 4 17.39 | 2 8.70 | 4 17.39 | 5 21.74 | 2 8.70 | 6 26.09 | 23 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 4 | 2 | 4 | 5 | 3 | 6 | 24 |

Questions about Driving Laws

Driving Questions were asked only of high school students.

**Frequency
Row Pct**

| Table of Grade by License1 | | | | | | |
|-----------------------------------|--|-----------------------|----------------|---------------|-------------------|--------------|
| Grade (Grade) | License1 (During the first 6 months of driving with a provisional license, the only passengers who can ride with the driver are:) | | | | | Total |
| | Parent or Guardian | Family Members | Friends | Anyone | Don't Know | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | |

**Frequency
Row Pct**

| Table of Grade by License2 | | | | | | |
|-----------------------------------|--|-------------------|-------------------|-----------------------------------|-------------------|--------------|
| Grade (Grade) | License2 (17 yr old drivers with a provisional driver's license cannot drive between the hours of:) | | | | | Total |
| | Midnight to 6am | 1am to 5am | 1am to 6am | No curfew for 17 year olds | Don't Know | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | |

Questions about Driving Laws

Driving Questions were asked only of high school students.

**Frequency
Row Pct**

| Table of Grade by License3 | | | | | | | |
|-----------------------------------|---|-------------|-------------|-------------|-------------|-------------------|--------------|
| Grade (Grade) | License3 (For drivers under the age of 21, what level of alcohol is considered DUI?) | | | | | | Total |
| | Any Amount | 0.02 | 0.04 | 0.06 | 0.08 | Don't Know | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | |

**Frequency
Row Pct**

| Table of Grade by License4 | | | | | | | |
|-----------------------------------|--|----------------|----------------|-------------------------|--|-------------------|--------------|
| Grade (Grade) | License4 (A driver under 21 automatically loses his/her license if caught exceeding the posted speed limit by:) | | | | | | Total |
| | 15+ mph | 25+ mph | 35+ mph | Depends on judge | Can't lose license for speeding | Don't Know | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | | | |

Questions about Driving Laws

Driving Questions were asked only of high school students.

Frequency
Row Pct

| Table of Grade by License5 | | | | |
|-------------------------------|---|-----------|------------|-------|
| Grade (Grade) | License5 (A Georgia teenager with family connections or a good lawyer can break a teen driving law and keep their driver's license) | | | Total |
| | Yes | No | Don't Know | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | |

Frequency
Row Pct

| Table of Grade by License6 | | | | |
|-------------------------------|--|-----------|------------|-------|
| Grade (Grade) | License6 (I know a friend or classmate that broke a teen driving law, but was allowed to keep his/her license) | | | Total |
| | Yes | No | Don't Know | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | |

Questions about Driving Laws

Driving Questions were asked only of high school students.

Frequency
Row Pct

| Table of Grade by License7 | | | | | |
|-------------------------------|--|-----------------------------|--------------------------------------|----------------|-------|
| Grade (Grade) | License7 (A student under the age of 18 can lose his/her driving privileges if he or she:) | | | | Total |
| | Have more than 10 unexcused absences per school year | Drop out without graduating | Bring alcohol/drugs/weapon to school | All oftheabove | |
| 6 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 8 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 10 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| 12 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 |
| Total | 0 | 0 | 0 | 0 | 0 |
| Frequency Missing = 24 | | | | | |

Select Results by Gender

| Frequency Col Pct | Table of SchoolClimate2 by Gender | | | |
|----------------------|--|----------------|-------------|-------|
| | SchoolClimate2 (I feel successful at school) | Gender(Gender) | | Total |
| | | Female | Male | |
| | Strongly Agree | 4 44.44 | 11 73.33 | 15 |
| | Somewhat Agree | 4 44.44 | 2 13.33 | 6 |
| | Somewhat Disagree | 1 11.11 | 2 13.33 | 3 |
| | Strongly Disagree | 0 0.00 | 0 0.00 | 0 |
| | Total | 9 | 15 | 24 |

| Frequency Col Pct | Table of SchoolClimate6 by Gender | | | |
|----------------------|---|----------------|------------|-------|
| | SchoolClimate6 (Teachers treat me with respect) | Gender(Gender) | | Total |
| | | Female | Male | |
| | Strongly Agree | 5 55.56 | 7 46.67 | 12 |
| | Somewhat Agree | 2 22.22 | 3 20.00 | 5 |
| | Somewhat Disagree | 1 11.11 | 4 26.67 | 5 |
| | Strongly Disagree | 1 11.11 | 1 6.67 | 2 |
| | Total | 9 | 15 | 24 |

| Frequency Col Pct | Table of SchoolClimate8 by Gender | | | |
|----------------------|---|----------------|------------|-------|
| | SchoolClimate8 (Students are frequently recognized for good behavior) | Gender(Gender) | | Total |
| | | Female | Male | |
| | Strongly Agree | 3 33.33 | 5 33.33 | 8 |
| | Somewhat Agree | 5 55.56 | 4 26.67 | 9 |
| | Somewhat Disagree | 1 11.11 | 3 20.00 | 4 |
| | Strongly Disagree | 0 0.00 | 3 20.00 | 3 |
| | Total | 9 | 15 | 24 |

Select Results by Gender

| Frequency Row Pct | Table of Gender by Dropout | | | |
|----------------------|----------------------------|--|------------|-------|
| | Gender (Gender) | Dropout(I have thought about dropping out of school) | | Total |
| | | Yes | No | |
| | Female | 4 44.44 | 5 55.56 | 9 |
| | Male | 7 46.67 | 8 53.33 | 15 |
| | Total | 11 | 13 | 24 |

| Frequency Row Pct | Table of Gender by Dropoutreason | | | | | | |
|----------------------|----------------------------------|--|------------|----------------|---------------|------------|-------|
| | Gender (Gender) | Dropoutreason(If I dropped out thereason would most likely be...)) | | | | | Total |
| | | Won't Dropout | Bored | Family Reasons | Being Bullied | Other | |
| | Female | 3 33.33 | 2 22.22 | 1 11.11 | 0 0.00 | 3 33.33 | 9 |
| | Male | 9 60.00 | 1 6.67 | 1 6.67 | 1 6.67 | 3 20.00 | 15 |
| | Total | 12 | 3 | 2 | 1 | 6 | 24 |

School Safety

| Frequency Row Pct | Table of Gender by Bullied2 | | | |
|----------------------|-----------------------------|------------|-------------|-------|
| | Gender (Gender) | Bullied2 | | Total |
| | | Yes | No | |
| | Female | 1 11.11 | 8 88.89 | 9 |
| | Male | 3 20.00 | 12 80.00 | 15 |
| | Total | 4 | 20 | 24 |

| Frequency Row Pct | Table of Gender by Bulliedothers2 | | | |
|----------------------|-----------------------------------|----------------|-------------|-------|
| | Gender (Gender) | Bulliedothers2 | | Total |
| | | Yes | No | |
| | Female | 4 44.44 | 5 55.56 | 9 |
| | Male | 3 20.00 | 12 80.00 | 15 |
| | Total | 7 | 17 | 24 |

| Frequency Row Pct | Table of Gender by Weaponschool2 | | | |
|----------------------|----------------------------------|---------------|-------------|-------|
| | Gender (Gender) | Weaponschool2 | | Total |
| | | Yes | No | |
| | Female | 1 11.11 | 8 88.89 | 9 |
| | Male | 2 13.33 | 13 86.67 | 15 |
| | Total | 3 | 21 | 24 |

| Frequency Row Pct | Table of Gender by Absentunsafe2 | | | |
|----------------------|----------------------------------|---------------|-------------|-------|
| | Gender (Gender) | Absentunsafe2 | | Total |
| | | Yes | No | |
| | Female | 0 0.00 | 9 100.00 | 9 |
| | Male | 3 20.00 | 12 80.00 | 15 |
| | Total | 3 | 21 | 24 |

School Safety

| Frequency Row Pct | Table of Gender by Gangself | | | |
|----------------------|-----------------------------|---|-------------|-------|
| | Gender (Gender) | Gangself (I have participated in illegal gang activities in the past 30 days) | | Total |
| | | Yes | No | |
| | Female | 2 22.22 | 7 77.78 | 9 |
| | Male | 5 33.33 | 10 66.67 | 15 |
| | Total | 7 | 17 | 24 |

| Frequency Row Pct | Table of Gender by Gangpeers | | | |
|----------------------|------------------------------|---|------------|-------|
| | Gender (Gender) | Gangpeers (I have friends who have participated in illegal gang activities in the past 30 days) | | Total |
| | | Yes | No | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 6 40.00 | 9 60.00 | 15 |
| | Total | 14 | 10 | 24 |

| Frequency Row Pct | Table of Gender by Pickedon2 | | | |
|----------------------|------------------------------|------------|-------------|-------|
| | Gender (Gender) | Pickedon2 | | Total |
| | | Yes | No | |
| | Female | 2 22.22 | 7 77.78 | 9 |
| | Male | 4 26.67 | 11 73.33 | 15 |
| | Total | 6 | 18 | 24 |

| Frequency Row Pct | Table of Gender by Safeschool2 | | | |
|----------------------|--------------------------------|-------------|------------|-------|
| | Gender (Gender) | Safeschool2 | | Total |
| | | Yes | No | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 10 66.67 | 5 33.33 | 15 |
| | Total | 15 | 9 | 24 |

Incidence of Drug Use

| Frequency Row Pct | Table of Gender by AlcoholAlt | | | |
|----------------------|-------------------------------|--|-------------|-------|
| | Gender (Gender) | AlcoholAlt (Alcohol use, past 30 days) | | Total |
| | | Yes | No | |
| | Female | 3 33.33 | 6 66.67 | 9 |
| | Male | 5 33.33 | 10 66.67 | 15 |
| | Total | 8 | 16 | 24 |

| Frequency Row Pct | Table of Gender by TobaccoAny | | | |
|----------------------|-------------------------------|--|-------------|-------|
| | Gender (Gender) | TobaccoAny (Tobacco use, past 30 days) | | Total |
| | | Yes | No | |
| | Female | 2 22.22 | 7 77.78 | 9 |
| | Male | 2 13.33 | 13 86.67 | 15 |
| | Total | 4 | 20 | 24 |

| Frequency Row Pct | Table of Gender by MarijuanaAlt | | | |
|----------------------|---------------------------------|--|-------------|-------|
| | Gender (Gender) | MarijuanaAlt (Marijuana use, past 30 days) | | Total |
| | | Yes | No | |
| | Female | 3 33.33 | 6 66.67 | 9 |
| | Male | 5 33.33 | 10 66.67 | 15 |
| | Total | 8 | 16 | 24 |

| Frequency Row Pct | Table of Gender by OtherDrugAny | | | |
|----------------------|---------------------------------|---|-------------|-------|
| | Gender (Gender) | OtherDrugAny (Other drug use, past 30 days) | | Total |
| | | Yes | No | |
| | Female | 2 22.22 | 7 77.78 | 9 |
| | Male | 1 6.67 | 14 93.33 | 15 |
| | Total | 3 | 21 | 24 |

***Average Age at Onset of Use Results for "Average Age at Onset of Use"
questions exclude students who said they did not use that substance***

Gender=Female

| Variable | Label | Mean |
|--------------------|--|-------------|
| Alcoholinit2 | I started using alcohol when I was | 13.00 |
| Cigarettesinit2 | I started smoking tobacco when I was | 13.00 |
| Smokelessinit2 | I started chewing tobacco when I was | |
| Marijuanainit2 | I started using marijuana when I was | 13.25 |
| Cocaineinit2 | I started using cocaine when I was | |
| Inhalantsinit2 | I started using inhalants when I was | 14.00 |
| Steroidsinit2 | I started using steroids when I was | |
| Ecstasyinit2 | I started using ecstasy when I was | |
| Methinit2 | I started using methamphetamines when I was | |
| Hallucinogensinit2 | I started using hallucinogens when I was | |
| Prescriptioninit2 | I started using prescription drugs not prescribed to me when I was | 13.00 |

Gender=Male

| Variable | Label | Mean |
|--------------------|--|-------------|
| Alcoholinit2 | I started using alcohol when I was | 12.00 |
| Cigarettesinit2 | I started smoking tobacco when I was | 13.00 |
| Smokelessinit2 | I started chewing tobacco when I was | |
| Marijuanainit2 | I started using marijuana when I was | 11.71 |
| Cocaineinit2 | I started using cocaine when I was | |
| Inhalantsinit2 | I started using inhalants when I was | |
| Steroidsinit2 | I started using steroids when I was | 14.00 |
| Ecstasyinit2 | I started using ecstasy when I was | |
| Methinit2 | I started using methamphetamines when I was | |
| Hallucinogensinit2 | I started using hallucinogens when I was | |
| Prescriptioninit2 | I started using prescription drugs not prescribed to me when I was | 14.00 |

I Think These Drugs are Harmful

| Frequency Row Pct | Table of Gender by Alcoholharmdich | | | |
|----------------------|------------------------------------|--|------------|-------|
| | Gender (Gender) | Alcoholharmdich (I think alcohol is harmful) | | Total |
| | | Yes | No | |
| | Female | 6 66.67 | 3 33.33 | 9 |
| | Male | 11 73.33 | 4 26.67 | 15 |
| | Total | 17 | 7 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccoharmdich | | | |
|----------------------|------------------------------------|--|------------|-------|
| | Gender (Gender) | Tobaccoharmdich (I think tobacco is harmful) | | Total |
| | | Yes | No | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 11 73.33 | 4 26.67 | 15 |
| | Total | 16 | 8 | 24 |

| Frequency Row Pct | Table of Gender by Marijuanaharmdich | | | |
|----------------------|--------------------------------------|--|------------|-------|
| | Gender (Gender) | Marijuanaharmdich (I think marijuana is harmful) | | Total |
| | | Yes | No | |
| | Female | 6 66.67 | 3 33.33 | 9 |
| | Male | 7 46.67 | 8 53.33 | 15 |
| | Total | 13 | 11 | 24 |

| Frequency Row Pct | Table of Gender by Otherdrugharmdich | | | |
|----------------------|--------------------------------------|---|------------|-------|
| | Gender (Gender) | Otherdrugharmdich (I think other drugs are harmful) | | Total |
| | | Yes | No | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 13 86.67 | 5 33.33 | 18 |
| | Total | 18 | 9 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Alcohollocation1 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Alcohollocation1 (Places Friends Use Alcohol) | | Total |
| | | . | Do Not Use | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 6 40.00 | 9 60.00 | 15 |
| | Total | 14 | 10 | 24 |

| Frequency Row Pct | Table of Gender by Alcohollocation2 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Alcohollocation2 (Places Friends Use Alcohol) | | Total |
| | | . | Home | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 12 80.00 | 3 20.00 | 15 |
| | Total | 17 | 7 | 24 |

| Frequency Row Pct | Table of Gender by Alcohollocation3 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Alcohollocation3 (Places Friends Use Alcohol) | | Total |
| | | . | School | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 15 100.00 | 0 0.00 | 15 |
| | Total | 23 | 1 | 24 |

| Frequency Row Pct | Table of Gender by Alcohollocation4 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Alcohollocation4 (Places Friends Use Alcohol) | | Total |
| | | . | Car | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 21 | 3 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Alcohollocation5 | | | |
|----------------------|-------------------------------------|---|----------------|-------|
| | Gender (Gender) | Alcohollocation5 (Places Friends Use Alcohol) | | Total |
| | | . | Friend's House | |
| Female | 5 55.56 | 4 44.44 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 16 | 8 | 24 | |

| Frequency Row Pct | Table of Gender by Alcohollocation6 | | | |
|----------------------|-------------------------------------|---|-------|-------|
| | Gender (Gender) | Alcohollocation6 (Places Friends Use Alcohol) | | Total |
| | | . | Other | |
| Female | 5 55.56 | 4 44.44 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 16 | 8 | 24 | |

| Frequency Row Pct | Table of Gender by Tobaccolocation1 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Tobaccolocation1 (Places Friends Use Tobacco) | | Total |
| | | . | Do Not Use | |
| Female | 5 55.56 | 4 44.44 | 9 | |
| Male | 4 26.67 | 11 73.33 | 15 | |
| Total | 9 | 15 | 24 | |

| Frequency Row Pct | Table of Gender by Tobaccolocation2 | | | |
|----------------------|-------------------------------------|---|------|-------|
| | Gender (Gender) | Tobaccolocation2 (Places Friends Use Tobacco) | | Total |
| | | . | Home | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 19 | 5 | 24 | |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Tobaccolocation3 | | | |
|----------------------|-------------------------------------|---|-----------|-------|
| | Gender (Gender) | Tobaccolocation3 (Places Friends Use Tobacco) | | Total |
| | . | School | | |
| | Female | 9 100.00 | 0 0.00 | 9 |
| | Male | 15 100.00 | 0 0.00 | 15 |
| | Total | 24 | 0 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccolocation4 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Tobaccolocation4 (Places Friends Use Tobacco) | | Total |
| | . | Car | | |
| | Female | 7 77.78 | 2 22.22 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 20 | 4 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccolocation5 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Tobaccolocation5 (Places Friends Use Tobacco) | | Total |
| | . | Friend's House | | |
| | Female | 6 66.67 | 3 33.33 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 19 | 5 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccolocation6 | | | |
|----------------------|-------------------------------------|---|------------|-------|
| | Gender (Gender) | Tobaccolocation6 (Places Friends Use Tobacco) | | Total |
| | . | Other | | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 18 | 6 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Marijuanalocation1 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Marijuanalocation1 (Places Friends Use Marijuana) | | Total |
| | | . | Do Not Use | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 7 46.67 | 8 53.33 | 15 |
| | Total | 15 | 9 | 24 |

| Frequency Row Pct | Table of Gender by Marijuanalocation2 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Marijuanalocation2 (Places Friends Use Marijuana) | | Total |
| | | . | Home | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 11 73.33 | 4 26.67 | 15 |
| | Total | 16 | 8 | 24 |

| Frequency Row Pct | Table of Gender by Marijuanalocation3 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Marijuanalocation3 (Places Friends Use Marijuana) | | Total |
| | | . | School | |
| | Female | 7 77.78 | 2 22.22 | 9 |
| | Male | 15 100.00 | 0 0.00 | 15 |
| | Total | 22 | 2 | 24 |

| Frequency Row Pct | Table of Gender by Marijuanalocation4 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Marijuanalocation4 (Places Friends Use Marijuana) | | Total |
| | | . | Car | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 18 | 6 | 24 |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Marijuanalocation5 | | | |
|----------------------|---------------------------------------|---|----------------|-------|
| | Gender (Gender) | Marijuanalocation5 (Places Friends Use Marijuana) | | Total |
| | | . | Friend's House | |
| Female | 3 33.33 | 6 66.67 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 14 | 10 | 24 | |

| Frequency Row Pct | Table of Gender by Marijuanalocation6 | | | |
|----------------------|---------------------------------------|---|-------|-------|
| | Gender (Gender) | Marijuanalocation6 (Places Friends Use Marijuana) | | Total |
| | | . | Other | |
| Female | 5 55.56 | 4 44.44 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 16 | 8 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdruglocation1 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Otherdruglocation1 (Places Friends Use Other Illegal Drugs) | | Total |
| | | . | Do Not Use | |
| Female | 3 33.33 | 6 66.67 | 9 | |
| Male | 2 13.33 | 13 86.67 | 15 | |
| Total | 5 | 19 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdruglocation2 | | | |
|----------------------|---------------------------------------|---|------|-------|
| | Gender (Gender) | Otherdruglocation2 (Places Friends Use Other Illegal Drugs) | | Total |
| | | . | Home | |
| Female | 9 100.00 | 0 0.00 | 9 | |
| Male | 13 86.67 | 2 13.33 | 15 | |
| Total | 22 | 2 | 24 | |

*Where do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Otherdruglocation3 | | | |
|----------------------|---------------------------------------|---|-----------|-------|
| | Gender (Gender) | Otherdruglocation3 (Places Friends Use Other Illegal Drugs) | | Total |
| | | . | School | |
| | Female | 9 100.00 | 0 0.00 | 9 |
| | Male | 15 100.00 | 0 0.00 | 15 |
| | Total | 24 | 0 | 24 |

| Frequency Row Pct | Table of Gender by Otherdruglocation4 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Otherdruglocation4 (Places Friends Use Other Illegal Drugs) | | Total |
| | | . | Car | |
| | Female | 9 100.00 | 0 0.00 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 22 | 2 | 24 |

| Frequency Row Pct | Table of Gender by Otherdruglocation5 | | | |
|----------------------|---------------------------------------|---|----------------|-------|
| | Gender (Gender) | Otherdruglocation5 (Places Friends Use Other Illegal Drugs) | | Total |
| | | . | Friend's House | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 21 | 3 | 24 |

| Frequency Row Pct | Table of Gender by Otherdruglocation6 | | | |
|----------------------|---------------------------------------|---|------------|-------|
| | Gender (Gender) | Otherdruglocation6 (Places Friends Use Other Illegal Drugs) | | Total |
| | | . | Other | |
| | Female | 7 77.78 | 2 22.22 | 9 |
| | Male | 14 93.33 | 1 6.67 | 15 |
| | Total | 21 | 3 | 24 |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Alcoholtime1 | | | |
|----------------------|---------------------------------|--|------------|-------|
| | Gender (Gender) | Alcoholtime1 (Times Friends Use Alcohol) | | Total |
| | | . | Do Not Use | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 7 46.67 | 8 53.33 | 15 | |
| Total | 15 | 9 | 24 | |

| Frequency Row Pct | Table of Gender by Alcoholtime2 | | | |
|----------------------|---------------------------------|--|------------------|-------|
| | Gender (Gender) | Alcoholtime2 (Times Friends Use Alcohol) | | Total |
| | | . | On Way to School | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 15 100.00 | 0 0.00 | 15 | |
| Total | 23 | 1 | 24 | |

| Frequency Row Pct | Table of Gender by Alcoholtime3 | | | |
|----------------------|---------------------------------|--|---------------|-------|
| | Gender (Gender) | Alcoholtime3 (Times Friends Use Alcohol) | | Total |
| | | . | During School | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 22 | 2 | 24 | |

| Frequency Row Pct | Table of Gender by Alcoholtime4 | | | |
|----------------------|---------------------------------|--|-------------------------|-------|
| | Gender (Gender) | Alcoholtime4 (Times Friends Use Alcohol) | | Total |
| | | . | On Way Home From School | |
| Female | 6 66.67 | 3 33.33 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 20 | 4 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Alcoholtimes5 | | | |
|----------------------|----------------------------------|---|------------|-------|
| | Gender (Gender) | Alcoholtimes5 (Times Friends Use Alcohol) | | Total |
| | | . | Weeknights | |
| Female | 7 77.78 | 2 22.22 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 21 | 3 | 24 | |

| Frequency Row Pct | Table of Gender by Alcoholtimes6 | | | |
|----------------------|----------------------------------|---|----------|-------|
| | Gender (Gender) | Alcoholtimes6 (Times Friends Use Alcohol) | | Total |
| | | . | Weekends | |
| Female | 3 33.33 | 6 66.67 | 9 | |
| Male | 9 60.00 | 6 40.00 | 15 | |
| Total | 12 | 12 | 24 | |

| Frequency Row Pct | Table of Gender by Tobaccotime1 | | | |
|----------------------|---------------------------------|--|------------|-------|
| | Gender (Gender) | Tobaccotime1 (Times Friends Use Tobacco) | | Total |
| | | . | Do Not Use | |
| Female | 4 44.44 | 5 55.56 | 9 | |
| Male | 3 20.00 | 12 80.00 | 15 | |
| Total | 7 | 17 | 24 | |

| Frequency Row Pct | Table of Gender by Tobaccotime2 | | | |
|----------------------|---------------------------------|--|------------------|-------|
| | Gender (Gender) | Tobaccotime2 (Times Friends Use Tobacco) | | Total |
| | | . | On Way to School | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 22 | 2 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Tobaccotime3 | | | |
|----------------------|---------------------------------|--|-----------|-------|
| | Gender (Gender) | Tobaccotime3 (Times Friends Use Tobacco) | | Total |
| . | | During School | | |
| | Female | 9 100.00 | 0 0.00 | 9 |
| | Male | 15 100.00 | 0 0.00 | 15 |
| | Total | 24 | 0 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccotime4 | | | |
|----------------------|---------------------------------|--|------------|-------|
| | Gender (Gender) | Tobaccotime4 (Times Friends Use Tobacco) | | Total |
| . | | On Way Home From School | | |
| | Female | 6 66.67 | 3 33.33 | 9 |
| | Male | 14 93.33 | 1 6.67 | 15 |
| | Total | 20 | 4 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccotime5 | | | |
|----------------------|---------------------------------|--|------------|-------|
| | Gender (Gender) | Tobaccotime5 (Times Friends Use Tobacco) | | Total |
| . | | Weeknights | | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 12 80.00 | 3 20.00 | 15 |
| | Total | 20 | 4 | 24 |

| Frequency Row Pct | Table of Gender by Tobaccotime6 | | | |
|----------------------|---------------------------------|--|------------|-------|
| | Gender (Gender) | Tobaccotime6 (Times Friends Use Tobacco) | | Total |
| . | | Weekends | | |
| | Female | 5 55.56 | 4 44.44 | 9 |
| | Male | 13 86.67 | 2 13.33 | 15 |
| | Total | 18 | 6 | 24 |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Marijuanatime1 | | | |
|----------------------|-----------------------------------|--|------------|-------|
| | Gender (Gender) | Marijuanatime1 (Times Friends Use Marijuana) | | Total |
| | | . | Do Not Use | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 7 46.67 | 8 53.33 | 15 | |
| Total | 15 | 9 | 24 | |

| Frequency Row Pct | Table of Gender by Marijuanatime2 | | | |
|----------------------|-----------------------------------|--|------------------|-------|
| | Gender (Gender) | Marijuanatime2 (Times Friends Use Marijuana) | | Total |
| | | . | On Way to School | |
| Female | 6 66.67 | 3 33.33 | 9 | |
| Male | 12 80.00 | 3 20.00 | 15 | |
| Total | 18 | 6 | 24 | |

| Frequency Row Pct | Table of Gender by Marijuanatime3 | | | |
|----------------------|-----------------------------------|--|---------------|-------|
| | Gender (Gender) | Marijuanatime3 (Times Friends Use Marijuana) | | Total |
| | | . | During School | |
| Female | 7 77.78 | 2 22.22 | 9 | |
| Male | 15 100.00 | 0 0.00 | 15 | |
| Total | 22 | 2 | 24 | |

| Frequency Row Pct | Table of Gender by Marijuanatime4 | | | |
|----------------------|-----------------------------------|--|-------------------------|-------|
| | Gender (Gender) | Marijuanatime4 (Times Friends Use Marijuana) | | Total |
| | | . | On Way Home From School | |
| Female | 5 55.56 | 4 44.44 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 16 | 8 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Marijuanatime5 | | | |
|----------------------|-----------------------------------|--|------------|-------|
| | Gender (Gender) | Marijuanatime5 (Times Friends Use Marijuana) | | Total |
| | | . | Weeknights | |
| Female | 6 66.67 | 3 33.33 | 9 | |
| Male | 11 73.33 | 4 26.67 | 15 | |
| Total | 17 | 7 | 24 | |

| Frequency Row Pct | Table of Gender by Marijuanatime6 | | | |
|----------------------|-----------------------------------|--|----------|-------|
| | Gender (Gender) | Marijuanatime6 (Times Friends Use Marijuana) | | Total |
| | | . | Weekends | |
| Female | 2 22.22 | 7 77.78 | 9 | |
| Male | 8 53.33 | 7 46.67 | 15 | |
| Total | 10 | 14 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdrugtime1 | | | |
|----------------------|-----------------------------------|--|------------|-------|
| | Gender (Gender) | Otherdrugtime1 (Times Friends Use Other Illegal Drugs) | | Total |
| | | . | Do Not Use | |
| Female | 3 33.33 | 6 66.67 | 9 | |
| Male | 1 6.67 | 14 93.33 | 15 | |
| Total | 4 | 20 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdrugtime2 | | | |
|----------------------|-----------------------------------|--|------------------|-------|
| | Gender (Gender) | Otherdrugtime2 (Times Friends Use Other Illegal Drugs) | | Total |
| | | . | On Way to School | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 15 100.00 | 0 0.00 | 15 | |
| Total | 23 | 1 | 24 | |

*When do My Friends Use - Percentage of Students who selected the following responses.
Students could select more than 1 response so the percentage for each substance will not add up to 100%.*

| Frequency Row Pct | Table of Gender by Otherdrugtime3 | | | |
|----------------------|-----------------------------------|--|---------------|-------|
| | Gender (Gender) | Otherdrugtime3 (Times Friends Use Other Illegal Drugs) | | Total |
| | | . | During School | |
| Female | 8 88.89 | 1 11.11 | 9 | |
| Male | 15 100.00 | 0 0.00 | 15 | |
| Total | 23 | 1 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdrugtime4 | | | |
|----------------------|-----------------------------------|--|-------------------------|-------|
| | Gender (Gender) | Otherdrugtime4 (Times Friends Use Other Illegal Drugs) | | Total |
| | | . | On Way Home From School | |
| Female | 9 100.00 | 0 0.00 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 23 | 1 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdrugtime5 | | | |
|----------------------|-----------------------------------|--|------------|-------|
| | Gender (Gender) | Otherdrugtime5 (Times Friends Use Other Illegal Drugs) | | Total |
| | | . | Weeknights | |
| Female | 9 100.00 | 0 0.00 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 23 | 1 | 24 | |

| Frequency Row Pct | Table of Gender by Otherdrugtime6 | | | |
|----------------------|-----------------------------------|--|----------|-------|
| | Gender (Gender) | Otherdrugtime6 (Times Friends Use Other Illegal Drugs) | | Total |
| | | . | Weekends | |
| Female | 7 77.78 | 2 22.22 | 9 | |
| Male | 14 93.33 | 1 6.67 | 15 | |
| Total | 21 | 3 | 24 | |

Other Questions

| Frequency Row Pct | Table of Gender by Educationalcohol | | | |
|----------------------|-------------------------------------|--|------------|-------|
| | Gender (Gender) | Educationalcohol (I have been taught about alcohol, tobacco, and other drugs within the last year at school) | | Total |
| | Yes | No | | |
| | Female | 7 77.78 | 2 22.22 | 9 |
| | Male | 10 66.67 | 5 33.33 | 15 |
| | Total | 17 | 7 | 24 |

| Frequency Row Pct | Table of Gender by Rodedrinking | | | |
|----------------------|---------------------------------|---|-------------|-------|
| | Gender (Gender) | Rodedrinking (In the past 30 days I have ridden in a car with a driver who had been drinking alcohol) | | Total |
| | Yes | No | | |
| | Female | 4 44.44 | 5 55.56 | 9 |
| | Male | 5 33.33 | 10 66.67 | 15 |
| | Total | 9 | 15 | 24 |

| Frequency Row Pct | Table of Gender by Drugsschool | | | |
|----------------------|--------------------------------|---|-------------|-------|
| | Gender (Gender) | Drugsschool (During the past 12 months, I have been offered, sold, or given illegal drugs on school property) | | Total |
| | Yes | No | | |
| | Female | 2 22.22 | 7 77.78 | 9 |
| | Male | 4 26.67 | 11 73.33 | 15 |
| | Total | 6 | 18 | 24 |

Other Questions

Frequency
Row Pct

| Table of Gender by Bingedrinking | | | | | | | | |
|----------------------------------|--|-------------|-------------|-------------|---------------|---------------|-------------|-------|
| Gender (Gender) | Bingedrinking (I have drunk five or more drinks of alcohol at one sitting during the last 30 days) | | | | | | | Total |
| | 0 Days | 1 or 2 days | 3 to 5 days | 6 to 9 days | 10 to 19 days | 20 to 29 days | All 30 days | |
| Female | 7 77.78 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 2 22.22 | 9 |
| Male | 11 73.33 | 1 6.67 | 3 20.00 | 0 0.00 | 0 0.00 | 0 0.00 | 0 0.00 | 15 |
| Total | 18 | 1 | 3 | 0 | 0 | 0 | 2 | 24 |

Frequency
Row Pct

| Table of Gender by Educationaids | | | |
|----------------------------------|--|------------|-------|
| Gender (Gender) | Educationaids (I have been taught about HIV/AIDS at school in the past year) | | Total |
| | Yes | No | |
| Female | 8 88.89 | 1 11.11 | 9 |
| Male | 13 86.67 | 2 13.33 | 15 |
| Total | 21 | 3 | 24 |

Frequency
Row Pct

| Table of Gender by Suicideconsider | | | |
|------------------------------------|-----------------|-------------|-------|
| Gender (Gender) | Suicideconsider | | Total |
| | Yes | No | |
| Female | 1 11.11 | 8 88.89 | 9 |
| Male | 1 6.67 | 14 93.33 | 15 |
| Total | 2 | 22 | 24 |

Other Questions

| Frequency Row Pct | Table of Gender by Suicideattempt | | | |
|----------------------|-----------------------------------|--|-------------|-------|
| | Gender (Gender) | Suicideattempt (I have attempted suicide in the last year) | | Total |
| | | Yes | No | |
| | Female | 1 11.11 | 8 88.89 | 9 |
| | Male | 1 6.67 | 14 93.33 | 15 |
| | Total | 2 | 22 | 24 |

| Frequency Row Pct | Table of Gender by Adulthood | | | |
|----------------------|------------------------------|---|------------|-------|
| | Gender (Gender) | Adulthood (I know an adult at school that I can talk with if I need help) | | Total |
| | | Yes | No | |
| | Female | 8 88.89 | 1 11.11 | 9 |
| | Male | 12 80.00 | 3 20.00 | 15 |
| | Total | 20 | 4 | 24 |